

## References

- Abercrombie, R. E. (1995). Earthquake source scaling relationships from  $-1$  to  $5$   $mL$  using seismograms recorded at 2.5-km depth, *J. Geophys. Res.*, 100, 24,015–24,036.
- Abramowitz, M. and Stegun, I. A., eds. (1972). *Handbook of Mathematical Functions*, Dover, New York.
- Advanced National Seismic System (ANSS) (2008). Catalog Search (2008) Northern California Earthquake Data Center (NCEDC), available at: <http://www.ncedc.org/anss/catalog-search.html>.
- Agnew, D. C. (2005). Earthquakes: future shock in California, *Nature*, 435, 284–285.
- Aki, K. and Richards, P. G. (2002). *Quantitative Seismology*, 2nd ed., University Science Books, Sausalito, CA.
- Allen, R. M. (2007). Earthquake hazard mitigation: New directions and opportunities, in *Treatise on Geophysics, Earthquake Seismology*, 4(4.21), ed. H. Kanamori, pp. 607–648, Elsevier, Amsterdam.
- Altmann, S. L. (1986). *Rotations, Quaternions and Double Groups*, Clarendon Press, Oxford.
- Amelung, F. and King, G. (1997). Large-scale tectonic deformation inferred from small earthquakes, *Nature*, 386, 702–705.
- Anderson, T. L. (2005). *Fracture Mechanics: Fundamentals and Applications*, 3rd ed., Taylor & Francis, Boca Raton, FL.
- Andrews, D. J. (1989). Mechanics of fault junctions, *J. Geophys. Res.*, 94, 9389–9397.
- Angelier, J., Tarantola, A., Valette, B. and Manoussis, S. (1982). Inversion of field data in fault tectonics to obtain regional stress – I. Single phase fault populations: a new method of computing stress tensor, *Geophys. J. R. Astr. Soc.*, 69, 607–621.
- Anraku, K. and Yanagimoto, T. (1990). Estimation for the negative binomial distribution based on the conditional likelihood, *Communications in Statistics: Simulation and Computation*, 19(3), 771–786.
- Antonioli, A., Cocco, M., Das, S. and Henry, C. (2002). Dynamic stress triggering during the great 25 March 1998 Antarctic Plate earthquake, *Bull. Seismol. Soc. Amer.*, 92(3), 896–903.
- Athreya, K. B. and Ney, P. E. (1972). *Branching Processes*, Springer-Verlag, New York.
- Backus, G. E. (1977a). Interpreting the seismic glut moments of total degree two or less, *Geophys. J. R. Astr. Soc.*, 51, 1–25.
- Backus, G. E. (1977b). Seismic sources with observable glut moments of spatial degree two, *Geophys. J. R. Astr. Soc.*, 51, 27–45.
- Baddeley, A. (2007). Spatial point processes and their applications, *Lecture Notes in Mathematics*, 1892, pp. 1–75.
- Baddeley, A., Turner, R., Moller, J. and Hazelton, M. (2005). Residual analysis for spatial point processes, *J. Royal Stat. Soc.*, B67(5), 617–651.
- Baiesi, M. and Paczuski, M. (2005). Complex networks of earthquakes and aftershocks, *Non-linear Processes Geophys.*, 12(1), 1–11.

- Bailey, I. W., Becker, T. W. and Ben-Zion, Y. (2009). Patterns of co-seismic strain computed from southern California focal mechanisms, *Geophys. J. Int.*, 177(3), 1015–1036.
- Bak, P., Christensen, K., Danon, L. and Scanlon, T. (2002). Unified scaling law for earthquakes, *Phys. Rev. Lett.*, 88, 178501, 1–4.
- Bakun, W. H. and Lindh, A. G. (1985). The Parkfield, California, earthquake prediction experiment, *Science*, 229, 619–624.
- Bakun, W. H. *et al.* (2005). Implications for prediction and hazard assessment from the 2004 Parkfield earthquake, *Nature*, 437, 969–974.
- Bartlett, M. S. (1978). *An Introduction to Stochastic Processes with Special Reference to Methods and Applications*, 3rd ed., Cambridge University Press, Cambridge.
- Ben-Menahem, A. (1995). A concise history of mainstream seismology – origins, legacy, and perspectives, *Bull. Seism. Soc. Am.*, 85, 1202–1225.
- Ben-Zion, Y. (2008). Collective behavior of earthquakes and faults: continuum-discrete transitions, progressive evolutionary changes and different dynamic regimes, *Rev. Geophysics*, 46, RG4006, DOI: 10.1029/2008RG000260.
- Ben-Zion, Y. and Sammis, C. G. (2003). Characterization of fault zones, *Pure Appl. Geophys.*, 160, 677–715.
- Beroza, G. C. and Ide, S. (2009). Deep tremors and slow quakes, *Science*, 324(5930), 1025–1026.
- Bird, P. (2003). An updated digital model of plate boundaries, *Geochemistry, Geophysics, Geosystems*, 4(3), 1027.
- Bird, P. and Kagan, Y. Y. (2004). Plate-tectonic analysis of shallow seismicity: apparent boundary width, beta, corner magnitude, coupled lithosphere thickness, and coupling in seven tectonic settings, *Bull. Seismol. Soc. Amer.*, 94(6), 2380–2399.
- Bird, P. and Liu, Z. (2007). Seismic hazard inferred from tectonics: California, *Seism. Res. Lett.*, 78(1), 37–48.
- Bird, P., Kreemer, C. and Holt, W. E. (2010). A long-term forecast of shallow seismicity based on the Global Strain Rate Map, *Seismol. Res. Lett.*, 81(2), 184–194 (plus electronic supplement).
- Blum, L., Cucker, F., Shub, M. and Smale, S. (1998). *Complexity and Real Computation*, Springer, New York.
- Boettcher, M. and Jordan, T. H. (2004). Earthquake scaling relations for mid-ocean ridge transform faults, *J. Geophys. Res.*, 109(B12), Art. No. B12302.
- Boettcher, M. S., McGarr, A. and Johnston, M. (2009). Extension of Gutenberg-Richter distribution to  $M_w$ -1.3, no lower limit in sight, *Geophys. Res. Lett.*, 36, L10307.
- Bolt, B. A. (2003). *Earthquakes*, 5th ed., W. H. Freeman, New York.
- Bouchbinder, E., Procaccia, I. and Sela, S. (2005). Disentangling scaling properties in anisotropic fracture, *Phys. Rev. Lett.*, 95(25), 255–303.
- Bremaud, P. and Massoulié, L. (2001). Hawkes branching point processes without ancestors, *J. Applied Probability*, 38(1), 122–135.
- Buehler, M. J. and Gao, H. J. (2006). Dynamical fracture instabilities due to local hyperelasticity at crack tips, *Nature*, 439(7074), 307–310.
- Bugayevskiy, L. M. and Snyder, J. P. (1995). *Map Projections: A Reference Manual*, Taylor & Francis, London.
- Bullen, K. E. (1979) *An Introduction to the Theory of Seismology*, 3rd ed., Cambridge University Press, Cambridge.
- Burridge, R. and Knopoff, L. (1964). Body force equivalents for seismic dislocations, *Bull. Seismol. Soc. Amer.*, 54, 1875–1888.
- Burridge, R. and Knopoff, L. (1967). Model and theoretical seismicity, *Bull. Seismol. Soc. Amer.*, 57, 341–371.
- Cai, J. Q., Grafarend, E. W. and Schaffrin, B. (2005). Statistical inference of the eigenspace components of a two-dimensional, symmetric rank-two random tensor, *J. Geodesy*, 78(7–8), 425–436.

- Calais, E., Freed, A. M., Van Arsdale, R. and Stein, S. (2010). Triggering of New Madrid seismicity by late-Pleistocene erosion, *Nature*, 466, 608–611.
- Calais, E., Han, J. Y., DeMets, C., and Nocquet, J. M. (2006). Deformation of the North American plate interior from a decade of continuous GPS measurements, *J. Geophys. Res.*, 111(B6), B06402.
- Castellaro, S., Mulargia, F. and Kagan, Y. Y. (2006). Regression problems for magnitudes, *Geophys. J. Int.*, 165(3), 913–930.
- Chen, P., Jordan, T. H. and Li Zhao (2010). Resolving fault plane ambiguity for small earthquakes, *Geophys. J. Int.*, 181(1), 493–501.
- Clauset, A., Shalizi, C. R. and Newman, M. E. J. (2009). Power-law distributions in empirical data, *SIAM Rev.*, 51, 661–703.
- Clements, R. A., Schoenberg, F. P. and Schorlemmer, D. (2011). Residual analysis methods for spacetime point processes with applications to earthquake forecast models in California, *Annals Applied Statistics*, 5(4), 2549–2571.
- Console, R., Lombardi, A. M., Murru, M. and Rhoades, D. (2003). Bath's law and the self-similarity of earthquakes, *J. Geophys. Res.*, 108(B2), 2128.
- Console, R. and Murru, M. (2001). A simple and testable model for earthquake clustering, *J. Geophys. Res.*, 106, 8699–8711.
- Console, R., Murru, M. and Lombardi, A. M. (2003). Refining earthquake clustering models, *J. Geophys. Res.*, 108(B10), Art. No. 2468.
- Consul, P. C. (1989). *Generalized Poisson Distributions: Properties and Applications*, Dekker, New York.
- Cornell, C. A. (1968). Engineering seismic risk analysis, *Bull. Seismol. Soc. Amer.*, 58, 1583–1606.
- Corral, A. (2005). Renormalization-group transformations and correlations of seismicity, *Phys. Rev. Lett.*, 95(2).
- Csikor, F. F., Motz, C., Weygand, D., Zaiser, M. and Zapperi, S. (2007). Dislocation avalanches, strain bursts, and the problem of plastic forming at the micrometer scale, *Science*, 318(5848), 251–254.
- Dahmen, K. A., Ben-Zion, Y. and Uhl, J. T. (2009). Micromechanical model for deformation in solids with universal predictions for stress-strain curves and slip avalanches, *Phys. Rev. Lett.*, 102(17), Article Number: 175501.
- Daley, D. J. and Vere-Jones, D. (2003). *An Introduction to the Theory of Point Processes*, 2nd ed., Vol. 1, Springer Verlag, New York.
- Daley, D. J. and Vere-Jones, D. (2004). Scoring probability forecasts for point processes: the entropy score and information gain, *J. Applied Probability*, 41A, 297–312 (Special Issue).
- Daley, D. J. and Vere-Jones, D. (2008). *An Introduction to the Theory of Point Processes*, 2nd ed., Vol. 2, Springer Verlag, New York.
- Danilova, M. A., and Yunga, S. L. (1990). Statistical properties of matrices in problems of earthquake focal mechanism interpretation, *Izv. Acad. Sci. USSR, Phys. Solid Earth*, 26(2), 137–142 (English translation).
- Davis, P. M., Jackson, D. D. and Kagan, Y. Y. (1989). The longer it has been since the last earthquake, the longer the expected time till the next?, *Bull. Seismol. Soc. Amer.*, 79(5), 1439–1456.
- Dawson, T. E., McGill S. F. and Rockwell, T. K. (2003). Irregular recurrence of paleoearthquakes along the central Garlock fault near El Paso Peaks, California, *J. Geophys. Res.*, 108(B7), 2356.
- De Luca, L., Lasocki, S., Luzio, D. and Vitale, M. (1999). Fractal dimension confidence interval estimation of epicentral distributions, *Annali di Geofisica*, 42(5), 911–925.
- De Luca, L., Luzio, D. and Vitale, M. (2002). A ML estimator of the correlation dimension for left-hand truncated data samples, *Pure Appl. Geophys.*, 159, 2789–2803.
- DelSole, T. and Tippett, M. K. (2007). Predictability: recent insights from information theory, *Rev. Geophys.*, 45, RG4002.

- Dieterich, J. (1994). A constitutive law for rate of earthquake production and its application to earthquake clustering, *J. Geophys. Res.*, 99, 2601–2618.
- Dimiduk, D. M., Woodward, C., LeSar, R., and Uchic, M. D. (2006). Scale-free intermittent flow in crystal plasticity, *Science*, 312, 1188–1190.
- Dionysiou, D. D. and Papadopoulos, G. A. (1992). Poissonian and negative binomial modelling of earthquake time series in the Aegean area, *Phys. Earth Planet. Inter.*, 71(3–4), 154–165.
- Dunn, F. and Parberry, I. (2011). *3D Math Primer for Graphics and Game Development*, A.K. Peters/CRC Press, Boca Raton, FL.
- Dyson, F. (2004). A meeting with Enrico Fermi: How one intuitive physicist rescued a team from fruitless research, *Nature*, 427(6972), 297.
- Dziewonski, A. M., Chou, T.-A. and Woodhouse, J. H. (1981). Determination of earthquake source parameters from waveform data for studies of global and regional seismicity, *J. Geophys. Res.*, 86, 2825–2852.
- Dziewonski, A. M. and Woodhouse, J. H. (1983a). An experiment in systematic study of global seismicity: centroid-moment tensor solutions for 201 moderate and large earthquakes of 1981, *J. Geophys. Res.*, 88, 3247–3271.
- Dziewonski, A. M. and Woodhouse, J. H. (1983b). Studies of the seismic source using normal mode theory, in *Earthquakes: Observation, Theory and Interpretation*, Proc. Int. School Phys. “Enrico Fermi,” Course LXXXV, eds H. Kanamori and E. Boschi, North-Holland Publ., Amsterdam, pp. 45–137.
- Ebel, J. E. (2009). Analysis of aftershock and foreshock activity in stable continental regions: implications for aftershock forecasting and the hazard of strong earthquakes, *Seismol. Res. Lett.*, 80(6), 1062–1068.
- Ebel, J. E., Bonjer, K.-P. and Oncescu, M. C. (2000). Paleoseismicity: seismicity evidence for past large earthquakes, *Seismol. Res. Lett.*, 71(2), 283–294.
- Ekström, G. (2007). Global seismicity: results from systematic waveform analyses, 1976–2005, in *Treatise on Geophysics, Earthquake Seismology*, 4(4.16), H. Kanamori, ed., Elsevier, Amsterdam, pp. 473–481.
- Ekström, G. and Dziewonski, A. M. (1988). Evidence of bias in estimation of earthquake size, *Nature*, 332, 319–323.
- Ekström, G., Nettles, M. and Dziewonski, A.M. (2012). The global CMT project 2004–2010: centroid moment tensors for 13,017 earthquakes, *Phys. Earth Planet. Inter.*, 200–201, 1–9.
- Ellsworth, W. L. (1995). Characteristic earthquakes and long-term earthquake forecasts: implications of central California seismicity, in *Urban Disaster Mitigation: The Role of Science and Technology*, F. Y. Cheng and M. S. Sheu, eds., Elsevier Science Ltd., Oxford, pp. 1–14.
- Ellsworth, W. L., Matthews, M. V., Nadeau, R. M., Nishenko, S. P., Reasenber, P. A. and Simpson, R. W. (1999). A physically based earthquake recurrence model for estimation of long-term earthquake probabilities, *U.S. Geol. Surv. Open-File Rept.* 99–522.
- Enescu, B., Mori, J., Miyazawa, M. and Kano, Y. (2009). Omori-Utsu law  $c$ -values associated with recent moderate earthquakes in Japan, *Bull. Seismol. Soc. Amer.*, 99(2A), 884–891.
- England, P. and Jackson, J. (2011) Uncharted seismic risk, *Nature Geoscience*, 4, 348–349.
- Evans, D. A. (1953). Experimental evidence concerning contagious distributions in ecology, *Biometrika*, 40(1–2), 186–211.
- Evans, M., Hastings, N. and Peacock, B. (2000). *Statistical Distributions*, 3rd ed., John Wiley, New York.
- Evans, R. (1997). Assessment of schemes for earthquake prediction: Editor’s introduction, *Geophys. J. Int.*, 131, 413–420.
- Fedotov, S. A. (1965). Regularities of the distribution of strong earthquakes in Kamchatka, the Kurile Islands and northeastern Japan, *Tr. Inst. Fiz. Zemli Akad. Nauk SSSR*, 36(203), 66–93 (in Russian).

- Fedotov, S. A. (1968) On the seismic cycle, feasibility of quantitative seismic zoning and long-term seismic prediction, in *Seismic Zoning of the USSR*, pp. 121–150, Nauka, Moscow, (in Russian); English translation: Israel Program for Scientific Translations, Jerusalem, 1976.
- Fedotov, S. A. (2005) Dolgosrochnyi Seismicheskii Prognoz dlya Kurilo-Kamchatskoi Dugi [Long-term Earthquake Prediction for the Kuril-Kamchatka Arc] (in Russian), Nauka/Moskva.
- Feller, W. (1968). *An Introduction to Probability Theory and its Applications*, 1, 3rd ed., John Wiley, New York.
- Feller, W. (1971). *An Introduction to Probability Theory and Its Applications*, 2, 2nd ed., John Wiley, New York.
- Felzer, K., Becker, T. W. Abercrombie, R. E., Ekström, G. and Rice, J. R. (2002). Triggering of the 1999 Mw 7.1 Hector Mine earthquake by aftershocks of the 1992 Mw 7.3 Landers earthquake, *J. Geophys. Res.* 107(B9), 2190.
- Field, E. H. (2007). Overview of the Working Group for the Development of Regional Earthquake Likelihood Models (RELM), *Seism. Res. Lett.*, 78(1), 7–16.
- Fisher, N. I., Lewis, T. and Embleton, B. J. J. (1987). *Statistical Analysis of Spherical Data*, Cambridge University Press, Cambridge.
- Fisher, R. A. (1928). General sampling distribution of the multiple correlation coefficient, *Proc. Roy. Soc. London*, ser. A, 121, 654–673.
- Fisher, R. A. (1953). Dispersion on a sphere, *Proc. Roy. Soc. London*, ser. A, 271, 295–305.
- Flinn, E. A., Engdahl, E. R. and Hill, A. R. (1974). Seismic and geographical regionalization, *Bull. Seismol. Soc. Amer.*, 64, 771–992.
- Frank, F. C. (1988). Orientation mapping, *Metall. Trans. A*, 19, 403–408.
- Frohlich, C. (1990). Note concerning non-double-couple source components from slip along surfaces of revolution, *J. Geophys. Res.*, 95(B5), 6861–6866.
- Frohlich, C. (2001). Display and quantitative assessment of distributions of earthquake focal mechanisms, *Geophys. J. Int.*, 144, 300–308.
- Frohlich, C. and Davis, S. D. (1999). How well constrained are well-constrained *T*, *B*, and *P* axes in moment tensor catalogs?, *J. Geophys. Res.*, 104, 4901–4910.
- Frohlich, C., Riedesel, M. A. and Apperson, K. D. (1989). Note concerning possible mechanisms for non-double-couple earthquake sources, *Geophys. Res. Lett.*, 16(6), 523–526.
- Frohlich, C. and Wetzell, L. R. (2007). Comparison of seismic moment release rates along different types of plate boundaries, *Geophys. J. Int.*, 171(2), 909–920.
- Gabrielov, A. M. and Keilis-Borok, V. I. (1983). Patterns of stress corrosion: geometry of the principal stresses, *Pure Appl. Geophys.*, 121, 477–494.
- Gabrielov, A., Keilis-Borok, V. and Jackson, D. D. (1996). Geometric incompatibility in a fault system, *P. Natl. Acad. Sci. USA* 93, 3838–3842.
- Garwood, F. (1947). The variance of the overlap of geometrical figures with reference to a bombing problem, *Biometrika*, 34, 1–17.
- Gasperini, P. and Vannucci, G. (2003). FPSPACK: a package of FORTRAN subroutines to manage earthquake focal mechanism data, *Computers and Geosciences*, 29(7), 893–901.
- Geist, E.L. and Parsons, T. (2005). Triggering of tsunamigenic aftershocks from large strike-slip earthquakes: analysis of the November 2000 New Ireland earthquake sequence, *Geochemistry Geophysics Geosystems*, 6, Article Number: Q10005.
- Geller, R. J. (1997). Earthquake prediction: a critical review, *Geophys. J. Int.*, 131, 425–450.
- Geller, R. J. (2011). Shake-up time for Japanese seismology, *Nature*, 472(7344), 407–409.
- Geller, R. J., Jackson, D. D., Kagan, Y. Y. and Mulargia, F. (1997). Earthquakes cannot be predicted, *Science*, 275(5306), 1616–1617.
- Gerstenberger, M. C., Wiemer, S., Jones, L. M. and Reasenber, P. A. (2005). Real-time forecasts of tomorrow's earthquakes in California, *Nature*, 435, 328–331, DOI: 10.1038/nature03622.



- Ghosh, P. (1951). Random distance within a rectangle and between two rectangles, *Bull. Calcutta Math. Soc.*, 43, 17–24.
- Gilbert, F. and Dziewonski, A. M. (1975). An application of normal mode theory to the retrieval of structural parameters and source mechanisms from seismic spectra, *Phil. Trans. R. Soc. Lond. A*, 278, 187–269.
- Gilbert, G. K. (1884). A theory of the earthquakes of the Great Basin, with a practical application, *Am. J. Sci.*, ser. 3, 27, no. 157, 49–53.
- Girko, V. L. (1990). *Theory of Random Determinants*, Kluwer Academic Publishers, Boston.
- Gleick, J. (1987). *Chaos: Making a New Science*, Viking, New York.
- Goldstein, S. (1969). Fluid mechanics in the first half of this century, *Annual Rev. Fluid Mech.*, 1, 1–29.
- Gomberg, J., Bodin, P. and Reasenber, P. A. (2003). Observing earthquakes triggered in the near field by dynamic deformations, *Bull. Seismol. Soc. Amer.*, 93, 118–138.
- Gradshteyn, I. S. and Ryzhik, I. M. (1980). *Table of Integrals, Series, and Products*, Academic Press, New York.
- Grimmer, H. (1979). Distribution of disorientation angles if all relative orientations of neighboring grains are equally probable, *Scripta Metallurgica*, 13(2), 161–164.
- Grunewald, E. D. and Stein, R. S. (2006). A new 1649–1884 catalog of destructive earthquakes near Tokyo and implications for the long-term seismic process, *J. Geophys. Res.*, 111, B12306.
- Guo, Z. and Ogata, Y. (1997). Statistical relations between the parameters of aftershocks in time, space, and magnitude, *J. Geophys. Res.*, 102, 2857–2873.
- Gutenberg, B. and Richter, C. F. (1944). Frequency of earthquakes in California, *Bull. Seism. Soc. Am.*, 34, 185–188.
- Hammersley, J. M. (1950). The distribution of distance in a hypersphere. *Ann. Math. Stat.*, 21, 447–452.
- Handscob, D. C. (1958). On the random disorientation of two cubes, *Can. J. Math.*, 10, 85–88.
- Hanks, T. C. (1992). Small earthquakes, tectonic forces, *Science*, 256, 1430–1432.
- Hanks, T. C. and Kanamori, H. (1979). A moment magnitude scale, *J. Geophys. Res.*, 84, 2348–2350.
- Hanson, A. J. (2006). *Visualizing Quaternions*, Elsevier, San Francisco.
- Harris, R. A. (1998). Introduction to special section: stress triggers, stress shadows, and implications for seismic hazard, *J. Geophys. Res.*, 103, 24,347–24,358.
- Harris, T. E. (1963). *The Theory of Branching Processes*, Springer, New York.
- Harte, D. (1998). Dimension estimates of earthquake epicentres and hypocentres, *J. Nonlinear Science*, 8, 581–618.
- Harte, D. (2001). *Multifractals: Theory and Applications*, Boca Raton, FL, Chapman and Hall.
- Harte, D. (2013). Bias in fitting the ETAS model: a case study based on New Zealand seismicity, *Geophys. J. Int.*, 192, in press.
- Haseltine, E. (2002). The 11 greatest unanswered questions of physics, *Discover*, 23(2).
- Hauksson, E. and Shearer, P. (2005). Southern California hypocenter relocation with waveform cross-correlation, Part 1: Results using the double-difference method, *Bull. Seism. Soc. Am.*, 95(3), 896–903.
- Hauksson, E., Yang, W. and Shearer, P. M. (2012). Waveform Relocated Earthquake Catalog for Southern California (1981 to June 2011), *Bull. Seismol. Soc. Amer.*, 102(5), 2239–2244.
- Hawkes, A. G. (1971). Point spectra of some mutually exciting point processes, *J. Roy. Statist. Soc.*, B33, 438–443.
- Hawkes, A. G. and Adamopoulos, L. (1973). Cluster models for earthquakes: regional comparisons, *Bull. Int. Statist. Inst.*, 45(3), 454–461.
- Hawkes, A. G. and Oakes, D. (1974). A cluster process representation of a self-exciting process, *J. Appl. Prob.*, 11, 493–503.
- Hayes, G. P., Earle, P. S., Benz, H. M., Wald, D. J., Briggs, R. W. and the USGS/NEIC Earthquake Response Team. (2011). 88 Hours: The U.S. Geological Survey National Earthquake

- Information Center Response to the 11 March 2011 Mw 9.0 Tohoku Earthquake, *Seismol. Res. Lett.*, 82(4), 481–493.
- Heaton, T. H. (1990). Evidence for and implications of self-healing pulses of slip in earthquake rupture, *Phys. Earth Planet. Inter.*, 64, 1–20.
- Heinz, A. and Neumann, P. (1991). Representation of orientation and disorientation data for cubic, hexagonal, tetragonal and orthorhombic crystals, *Acta Cryst. A*, 47, 780–789.
- Helmstetter, A., Kagan, Y. Y. and Jackson, D. D. (2005). Importance of small earthquakes for stress transfers and earthquake triggering, *J. Geophys. Res.*, 110(5), B05S08.
- Helmstetter, A., Kagan, Y. Y. and Jackson, D. D. (2006). Comparison of short-term and time-independent earthquake forecast models for southern California, *Bull. Seismol. Soc. Amer.*, 96(1), 90–106.
- Helmstetter, A., Kagan, Y. Y. and Jackson, D. D. (2007). High-resolution time-independent grid-based forecast for  $m \geq 5$  earthquakes in California, *Seism. Res. Lett.*, 78(1), 78–86.
- Helmstetter, A. and Sornette, D. (2003). Importance of direct and indirect triggered seismicity in the ETAS model of seismicity, *Geophys. Res. Lett.*, 30(11), 1576.
- Helmstetter, A. and Sornette, D. (2004). Predictability in the epidemic-type aftershock sequence model of interacting triggered seismicity, *J. Geophys. Res.*, 108(B10), Art. No. 2482.
- Hilbe, J. M. (2007). *Negative Binomial Regression*, Cambridge University Press, New York.
- Hileman, J. A., Allen, C. R. and Nordquist, J. M. (1973). *Seismicity of the Southern California Region, 1 January 1932 to 31 December 1972*, Cal. Inst. Technology, Pasadena.
- Hiramatsu, Y., Watanabe, T. and Obara, K. (2008). Deep low-frequency tremors as a proxy for slip monitoring at plate interface, *Geophys. Res. Lett.*, 35, L13304.
- Hirose, T., Hiramatsu, Y. and Obara, K. (2010). Characteristics of short-term slow slip events estimated from deep low-frequency tremors in Shikoku, Japan, *J. Geophys. Res.*, 115, B10304.
- Holt, W. E., Chamot-Rooke, N., Le Pichon, X., Haines, A. J., Shen-Tu, B. and Ren, J. (2000). Velocity field in Asia inferred from Quaternary fault slip rates and Global Positioning System observations, *J. Geophys. Res.*, 105, 19,185–19,209.
- Horn, B. K. P. (1987). Closed-form solution of absolute orientation using unit quaternions, *J. Opt. Soc. Am. A*, 4(4), 629–642.
- Hough, S. E. (2004). Scientific overview and historical context of the 1811–1812 New Madrid earthquake sequence, *Annals of Geophysics*, 47(23), 523–537.
- Hough, S. E. (2009). *Predicting the Unpredictable: The Tumultuous Science of Earthquake Prediction*, Princeton University Press, Princeton, NJ.
- Houston, H. (2001). Influence of depth, focal mechanism, and tectonic setting on the shape and duration of earthquake source time functions, *J. Geophys. Res.*, 106, 11137–11150.
- Houston, H., Benz, H. M. and Vidale, J. E. (1998). Time functions of deep earthquakes from broadband and short-period stacks, *J. Geophys. Res.*, 103(B12), 29895–29913.
- Huillet, T. and Raynaud, H. F. (2001). On rare and extreme events, *Chaos, Solutions and Fractals*, 12, 823–844.
- Hutton, K., Hauksson, E., Clinton, J., Franck, J., Guarino, A., Scheckel, N., Given, D. and Young, A. (2006). Southern California Seismic Network update, *Seism. Res. Lett.*, 77(3), 389–395.
- Hutton, K., Woessner, J. and Hauksson, E. (2010). Earthquake monitoring in southern California for seventy-seven years (1932–2008), *Bull. Seismol. Soc. Amer.*, 100, 423–446.
- Hutton, L. K. and Jones, L. M. (1993). Local magnitudes and apparent variations in seismicity rates in Southern California, *Bull. Seismol. Soc. Am.*, 83, 313–329.
- Ishimoto, M. and Iida, K. (1939). Observations sur les seismes enregistrés par le microsismographe construit dernièrement (1), *Bull. Earthquake Res. Inst. Tokyo Univ.*, 17, 443–478 (in Japanese).
- Jackson, D. D. and Kagan, Y. Y. (1999). Testable earthquake forecasts for 1999, *Seism. Res. Lett.*, 70(4), 393–403.

- Jackson, D. D. and Kagan, Y. Y. (2006). The 2004 Parkfield earthquake, the 1985 prediction, and characteristic earthquakes: lessons for the future, *Bull. Seismol. Soc. Amer.*, 96(4B), S397–S409.
- Jackson, D. D. and Matsu'ura, M. (1985). A Bayesian approach to nonlinear inversion, *J. Geophys. Res.*, 90, 581–591.
- Jaeger, J. C. and Cook, N. G. W. (1979). *Fundamentals of Rock Mechanics*, 3rd ed., Chapman and Hall, London.
- Jirina, M. (1958). Stochastic branching processes with continuous state space, *Czech. Math. J.*, 8, 292–313.
- Johnson, N. L., Kemp, A. W. and Kotz, S. (2005). *Univariate Discrete Distributions*, 3rd ed., Wiley, Hoboken, NJ.
- Jolliffe, I. T. and Stephenson, D. B., eds. (2003). *Forecast Verification: A Practitioner's Guide in Atmospheric Science*, John Wiley, Chichester.
- Jordan, T. H. (1997). Is the study of earthquakes a basic science?, *Seismol. Res. Lett.*, 68(2), 259–261.
- Jordan, T. H., Chen, Y.-T., Gasparini, P., Madariaga, R., Main, I., Marzocchi, W., Papadopoulos, G., Sobolev, G., Yamaoka, K. and Zschau, J. (2011). Operational earthquake forecasting : state of knowledge and guidelines for utilization, *Annals Geophysics*, 54(4), 315–391.
- Jordan, T. H. and Jones, L. M. (2010). Operational earthquake forecasting: some thoughts on why and how, *Seismol. Res. Lett.*, 81(4), 571–574.
- Kagan, Y. Y. (1973). Statistical methods in the study of the seismic process (with discussion: comments by M. S. Bartlett, A. G. Hawkes and J. W. Tukey), *Bull. Int. Statist. Inst.*, 45(3), 437–453.
- Kagan, Y. Y. (1981a). 1 Spatial distribution of earthquakes: the three-point moment function, *Geophys. J. Roy. Astr. Soc.*, 67, 697–717.
- Kagan, Y. Y. (1981b). Spatial distribution of earthquakes: the four-point moment function, *Geophys. J. Roy. Astr. Soc.*, 67, 719–733.
- Kagan, Y. Y. (1982). Stochastic model of earthquake fault geometry, *Geophys. J. Roy. Astr. Soc.*, 71, 659–691.
- Kagan, Y. Y. (1987). Point sources of elastic deformation: elementary sources, static displacements, *Geophys. J. Roy. Astr. Soc.*, 90, 1–34 (1987) (Errata, *Geophys. J. R. Astron. Soc.*, 93, 591, 1988).
- Kagan, Y. Y. (1988). Static sources of elastic deformation in homogenous half-space, *J. Geophys. Res.*, 93(B9), 10,560–10,574.
- Kagan, Y. Y. (1990). Random stress and earthquake statistics: spatial dependence, *Geophys. J. Int.*, 102, 573–583.
- Kagan, Y. Y. (1991a). Fractal dimension of brittle fracture, *J. Nonlinear Sci.*, 1, 1–16.
- Kagan, Y. Y. (1991b). Likelihood analysis of earthquake catalogues, *Geophys. J. Int.*, 106, 135–148.
- Kagan, Y. Y. (1991c). 3-D rotation of double-couple earthquake sources, *Geophys. J. Int.*, 106, 709–716.
- Kagan, Y. Y. (1992a). Seismicity: turbulence of solids, *Nonlinear Sci. Today*, 2, 1–13.
- Kagan, Y. Y. (1992b). On the geometry of an earthquake fault system, *Phys. Earth Planet. Inter.*, 71, 15–35.
- Kagan, Y. Y. (1992c). Correlations of earthquake focal mechanisms, *Geophys. J. Int.*, 110, 305–320.
- Kagan, Y. Y. (1994a). Incremental stress and earthquakes, *Geophys. J. Int.*, 117, 345–364.
- Kagan, Y. Y. (1994b). Distribution of incremental static stress caused by earthquakes, *Nonlinear Processes Geophys.*, 1(2/3), 172–181.
- Kagan, Y. Y. (1996). Comment on “The Gutenberg-Richter or characteristic earthquake distribution, which is it?” by Steven G. Wesnousky, *Bull. Seismol. Soc. Amer.*, 86(1a), 274–285.



- Kagan, Y. Y. (1997a). Seismic moment-frequency relation for shallow earthquakes: regional comparison, *J. Geophys. Res.*, 102(B2), 2835–2852.
- Kagan, Y. Y. (1997b). Are earthquakes predictable?, *Geophys. J. Int.*, 131(3), 505–525.
- Kagan, Y. Y. (1999). Universality of the seismic moment-frequency relation, *Pure Appl. Geoph.*, 155(24), 537–573.
- Kagan, Y. Y. (2000). Temporal correlations of earthquake focal mechanisms, *Geophys. J. Int.*, 143, 881–897.
- Kagan, Y. Y. (2002a). Seismic moment distribution revisited: I. Statistical results, *Geophys. J. Int.*, 148, 520–541.
- Kagan, Y. Y. (2002b). Aftershock zone scaling, *Bull. Seismol. Soc. Amer.*, 92(2), 641–655.
- Kagan, Y. Y. (2002c). Seismic moment distribution revisited: II. Moment conservation principle, *Geophys. J. Int.*, 149, 731–754.
- Kagan, Y. Y. (2003). Accuracy of modern global earthquake catalogs, *Phys. Earth Planet. Inter.*, 135(23), 173–209.
- Kagan, Y. Y. (2004). Short-term properties of earthquake catalogs and models of earthquake source, *Bull. Seismol. Soc. Amer.*, 94(4), 1207–1228.
- Kagan, Y. Y. (2005a). Earthquake slip distribution: a statistical model, *J. Geophys. Res.*, 110(5), B05S11.
- Kagan, Y. Y. (2005b). Double-couple earthquake focal mechanism: random rotation and display, *Geophys. J. Int.*, 163(3), 1065–1072.
- Kagan, Y. Y. (2006). Why does theoretical physics fail to explain and predict earthquake occurrence?, in *Modelling Critical and Catastrophic Phenomena in Geoscience: A Statistical Physics Approach, Lecture Notes in Physics*, 705, P. Bhattacharyya and B. K. Chakrabarti, eds., Springer Verlag, Berlin, pp. 303–359.
- Kagan, Y. Y. (2007a). Earthquake spatial distribution: the correlation dimension, *Geophys. J. Int.*, 168(3), 1175–1194.
- Kagan, Y. Y. (2007b). On earthquake predictability measurement: information score and error diagram, *Pure Appl. Geoph.*, 164(10), 1947–1962.
- Kagan, Y. Y. (2007c). Simplified algorithms for calculating double-couple rotation, *Geophys. J. Int.*, 171(1), 411–418.
- Kagan, Y. Y. (2009a). On the geometric complexity of earthquake focal zone and fault systems: a statistical study, *Phys. Earth Planet. Inter.*, 173(3–4), 254–268.
- Kagan, Y. Y. (2009b). Testing long-term earthquake forecasts: likelihood methods and error diagrams, *Geophys. J. Int.*, 177(2), 532–542.
- Kagan, Y. Y. (2010a). Statistical distributions of earthquake numbers: consequence of branching process, *Geophys. J. Int.*, 180(3), 1313–1328.
- Kagan, Y. Y. (2010b). Earthquake size distribution: power-law with exponent  $\beta \equiv 12?$ , *Tectonophysics*, 490(1–2), 103–114.
- Kagan, Y. Y. (2011). Random stress and Omori's law, *Geophys. J. Int.*, 186(3), 1347–1364.
- Kagan, Y. Y. (2013). Double-couple earthquake source: symmetry and rotation, *Geophys. J. Int.*, in press, DOI: 10.1093/gji/ggt156.
- Kagan, Y. Y., Bird, P. and Jackson, D. D. (2010). Earthquake patterns in diverse tectonic zones of the Globe, *Pure Appl. Geoph. (The Frank Evison Volume)*, 167(6/7), 721–741.
- Kagan, Y. Y. and Houston, H. (2005). Relation between mainshock rupture process and Omori's law for aftershock moment release rate, *Geophys. J. Int.*, 163(3), 1039–1048.
- Kagan, Y. Y. and Jackson, D. D. (1991a). Long-term earthquake clustering, *Geophys. J. Int.*, 104, 117–133.
- Kagan, Y. Y. and Jackson, D. D. (1991b). Seismic gap hypothesis: ten years after, *J. Geophys. Res.*, 96(B13), 21,419–21,431.
- Kagan, Y. Y. and Jackson, D. D. (1994). Long-term probabilistic forecasting of earthquakes, *J. Geophys. Res.*, 99(B7), 13,685–13,700.

- Kagan, Y. Y. and Jackson, D. D. (1995). New seismic gap hypothesis: five years after, *J. Geophys. Res.*, 100(B3), 3943–3959.
- Kagan, Y. Y. and Jackson, D. D. (1998). Spatial aftershock distribution: effect of normal stress, *J. Geophys. Res.*, 103(B10), 24,453–24,467.
- Kagan, Y. Y. and Jackson, D. D. (1999). Worldwide doublets of large shallow earthquakes, *Bull. Seismol. Soc. Amer.*, 89(5), 1147–1155.
- Kagan, Y. Y. and Jackson, D. D. (2000). Probabilistic forecasting of earthquakes, *Geophys. J. Int.*, 143, 438–453.
- Kagan, Y. Y. and Jackson, D. D. (2006). Comment on “Testing earthquake prediction methods: “The West Pacific short-term forecast of earthquakes with magnitude  $M_wHRV \geq 5.8$ ” by V. G. Kossobokov, *Tectonophysics*, 413(1–2), 33–38.
- Kagan, Y. Y. and Jackson, D. D. (2011). Global earthquake forecasts, *Geophys. J. Int.*, 184(2), 759–776.
- Kagan, Y. Y. and Jackson, D. D. (2012). Whole Earth high-resolution earthquake forecasts, *Geophys. J. Int.*, 190(1), 677–686.
- Kagan, Y. Y. and Jackson, D. D. (2013). Tohoku earthquake: a surprise? *Bull. Seismol. Soc. Amer.*, 103(2B), 1181–1194, DOI: 10.1785/0120120110.
- Kagan, Y. Y., Jackson, D. D. and Geller, R. J. (2012). Characteristic earthquake model, 18842011, R.I.P., *Seismol. Res. Lett.*, 83(6), 951–953.
- Kagan, Y. Y., Jackson, D. D. and Rong, Y. F. (2006). A new catalog of southern California earthquakes, 18002005, *Seism. Res. Lett.*, 77(1), 30–38.
- Kagan, Y. Y., Jackson, D. D. and Rong, Y. F. (2007). A testable five-year forecast of moderate and large earthquakes in southern California based on smoothed seismicity, *Seism. Res. Lett.*, 78(1), 94–98.
- Kagan, Y. Y. and Knopoff, L. (1976). Statistical search for non-random features of the seismicity of strong earthquakes, *Phys. Earth Planet. Inter.*, 12(4), 291–318.
- Kagan, Y. Y. and Knopoff, L. (1977). Earthquake risk prediction as a stochastic process, *Phys. Earth Planet. Inter.*, 14(2), 97–108.
- Kagan, Y. Y. and Knopoff, L. (1980). Spatial distribution of earthquakes: the two-point correlation function, *Geophys. J. Roy. Astr. Soc.*, 62, 303–320.
- Kagan, Y. Y. and Knopoff, L. (1981). Stochastic synthesis of earthquake catalogs, *J. Geophys. Res.*, 86, 2853–2862.
- Kagan, Y. Y. and Knopoff, L. (1984). A stochastic model of earthquake occurrence, *Proc. 8th Int. Conf. Earthq. Eng.*, San Francisco, 1, 295–302.
- Kagan, Y. Y. and Knopoff, L. (1985a). The first-order statistical moment of the seismic moment tensor, *Geophys. J. Roy. Astr. Soc.*, 81, 429–444.
- Kagan, Y. Y. and Knopoff, L. (1985b). The two-point correlation function of the seismic moment tensor, *Geophys. J. Roy. Astr. Soc.*, 83, 637–656.
- Kagan, Y. Y. and Knopoff, L. (1987a). Random stress and earthquake statistics: time dependence, *Geophys. J. Roy. Astr. Soc.*, 88, 723–731.
- Kagan, Y. Y. and Knopoff, L. (1987b). Statistical short-term earthquake prediction, *Science*, 236, 1563–1567.
- Kagan, Y. Y. and Vere-Jones, D. (1996). Problems in the modelling and statistical analysis of earthquakes in: *Lecture Notes in Statistics (Athens Conference on Applied Probability and Time Series)* 114, C. C. Heyde, Yu. V. Prohorov, R. Pyke and S. T. Rachev, eds., New York, Springer, pp. 398–425, DOI: 10.1007/978-1-4612-0749-8\_29.
- Kanamori, H. (1977). The energy release in great earthquakes, *J. Geophys. Res.*, 82, 2981–2987.
- Kanamori, H. and Brodsky, E. E. (2004). The physics of earthquakes, *Rep. Prog. Phys.*, 67, 1429–1496.
- Kendall, D. G., Barden, D., Carn, T. K. and Le, H. (1999). *Shape and Shape Theory*, Wiley, New York.
- Kendall, M. G. and Moran, P. A. P. (1963). *Geometrical Probabilities*, Hafner, NY.

- Ken-Tor, R., Agnon, A., Enzel, Y., Stein, M., Marco, S. and Negendank, J. F.W. (2001). High-resolution geological record of historic earthquakes in the Dead Sea basin, *J. Geophys. Res.*, 106(B2), 2221–2234.
- Kilb, D., Gombert, J. and Bodin, P. (2002) Aftershock triggering by complete Coulomb stress changes, *J. Geophys. Res.*, 107(B4), 2060.
- King, G. (1983). The accommodation of large strains in the upper lithosphere of the Earth and other solids by self-similar fault systems: the geometrical origin of  $b$ -value, *Pure Appl. Geophys.*, 121, 761–815.
- King, G. C. P. (1986). Speculations on the geometry of the initiation and termination processes of earthquake rupture and its relation to morphology and geological structure, *Pure Appl. Geophys.*, 124(3), 567–585.
- Klein, F. (1932). *Elementary Mathematics from an Advanced Standpoint*. Vol. I. *Arithmetic, Algebra, Analysis*, trans. E. R. Hedrick and C. A. Noble, Macmillan, London.
- Knopoff, L. and Randall, M. J. (1970). The compensated linear vector dipole: a possible mechanism for deep earthquakes, *J. Geophys. Res.*, 75, 4957–4963.
- Kossobokov, V. G. (2006). Testing earthquake prediction methods: “The West Pacific short-term forecast of earthquakes with magnitude  $M_w \geq 5.8$ ”, *Tectonophysics*, 413(1–2), 25–31.
- Kostrov, B. V. (1974). Seismic moment and energy of earthquakes, and seismic flow of rock, *Izv. Acad. Sci. USSR, Phys. Solid Earth*, January, 13–21.
- Kostrov, B. V. and Das, S. (1988). *Principles of Earthquake Source Mechanics*, Cambridge University Press, New York.
- Kotz, S., Balakrishnan, N., Read, C. and Vidakovic, B. (2006). *Encyclopedia of Statistical Sciences*, 2nd ed., Wiley-Interscience, Hoboken, NJ, 16 vols.
- Kreemer, C., Holt, W. E., and Haines, A. J. (2003). An integrated global model of present-day plate motions and plate boundary deformation, *Geophys. J. Int.*, 154, 8–34.
- Krieger, L. and Heimann, S. (2012). MoPaD – Moment tensor plotting and decomposition: a tool for graphical and numerical analysis of seismic moment tensors, *Seismol. Res. Lett.*, 83(3), 589–595.
- Kuhn, T. S. (1965). Logic of discovery or psychology of research?, in *Criticism and the Growth of Knowledge*, I. Lakatos and A. Musgrave eds., Cambridge University Press, Cambridge. pp. 1–23.
- Kuipers, J. B. (1999). *Quaternions and Rotation Sequences: A Primer with Applications to Orbits, Aerospace and Virtual Reality*, Princeton University Press, Princeton, NJ.
- Kwiatak, G., Plenkers, K., Dresen, G. and JAGUARS Research Group. (2011) Source parameters of picoseismicity recorded at Mponeng Deep Gold Mine, South Africa: implications for scaling relations, *Bull. Seismol. Soc. Amer.*, 101(6), 2592–2608.
- Langer, J. S., Carlson, J. M., Myers, C. R. and Shaw, B. E. (1996). Slip complexity in dynamic models of earthquake faults, *Proc. Nat. Acad. Sci. USA*, 93, 3825–3829.
- Lavallée, D. (2008). On the random nature of earthquake sources and ground motions: a unified theory, *Advances in Geophysics*, 50, 427–461.
- Lay, T. and Wallace, T. C. (1995). *Modern Global Seismology*, San Diego, Academic Press.
- Lee, W. H. K., Kanamori, H., Jennings, P. C. and Kisslinger, C. eds. (2002) *IASPEI Handbook of Earthquake and Engineering Seismology, Part A*, Academic Press, Boston.
- Libicki, E. and Ben-Zion, Y. (2005). Stochastic branching models of fault surfaces and estimated fractal dimension, *Pure Appl. Geophys.*, 162(6–7), 1077–1111.
- Lombardi, A. M. and Marzocchi, W. (2007). Evidence of clustering and nonstationarity in the time distribution of large worldwide earthquakes, *J. Geophys. Res.*, 112, B02303.
- Lomnitz, C. (1994). *Fundamentals of Earthquake Prediction*, Wiley, New York.
- Lyakhovskiy, V., Ben-Zion, Y. and Agnon, A. (2005). A viscoelastic damage rheology and rate- and state dependent friction, *Geophys. J. Int.*, 161(1), 179–190; Correction, *Geophys. J. Int.*, 161(2), 420, (2005).

- Mackenzie, J. K. (1958). Second paper on statistics associated with the random disorientation of cubes, *Biometrika*, 45, 229–240.
- Mandelbrot, B. B. (1983). *The Fractal Geometry of Nature*, 2nd ed., W. H. Freeman, San Francisco.
- Mandelbrot, B. B. (2012). *The Fractalist: Memoir of a Scientific Maverick*, Pantheon Books, New York.
- Marco, S., Stein, M., Agnon, A. and Ron, H. (1996). Long-term earthquake clustering: a 50,000-year paleoseismic record in the Dead Sea Graben, *J. Geophys. Res.*, 101, 6179–6191.
- Marder, M. (1998). Computational science: unlocking dislocation secrets, *Nature*, 391, 637–638.
- Mardia, K. V. and Jupp, P. E. (2000). *Directional Statistics*, Wiley, Chichester.
- Marsaglia, G. (1972). Choosing a point from the surface of a sphere, *Ann. Math. Stat.*, 43, 645–646.
- Marsan, D. (2005). The role of small earthquakes in redistributing crustal elastic stress, *Geophys. J. Int.*, 163(1), 141–151.
- Marsan, D. and Lengliné, O. (2008). Extending earthquakes' reach through cascading, *Science*, 319, 1076–1079.
- Marzocchi, W. and Lombardi, A. M. (2008). A double branching model for earthquake occurrence, *J. Geophys. Res.*, 113, B08317.
- Marzocchi W. and Zechar, J. D. (2011). Earthquake forecasting and earthquake prediction: different approaches for obtaining the best model, *Seismol. Res. Lett.*, 82(3), 442–448.
- Mason, I. B. (2003). Binary events, in *Forecast Verification: A Practitioner's Guide in Atmospheric Science*, I. T. Jolliffe and D. B. Stephenson, eds, John Wiley, Chichester, pp. 37–76.
- Matheron, G. (1971). *The Theory of Regionalized Variables and its Applications*, Cahiers du Centre de Morphologie Mathématique de Fontainebleau, No. 5.
- Matthews, M. V., Ellsworth, W. L. and Reasenber, P. A. (2002). A Brownian model for recurrent earthquakes, *Bull. Seismol. Soc. Amer.*, 92, 2233–2250.
- McCaffrey, R. (2007). The next great earthquake, *Science*, 315, 1675.
- McCaffrey, R. (2008). Global frequency of magnitude 9 earthquakes, *Geology*, 36(3), 263–266, (GSA Data Repository item 2008063, Table DR1).
- McCann, W. R., Nishenko, S. P., Sykes, L. R. and Krause, J. (1979). Seismic gaps and plate tectonics: seismic potential for major boundaries, *Pure Appl. Geophys.*, 117, 1082–1147.
- McGuire, J. J. and Beroza, G. C. (2012). A rogue earthquake off Sumatra, *Science*, 336(6085), 1118–1119.
- McGuire, J. J., Boettcher, M. S. and Jordan, T. H. (2005). Foreshock sequences and short-term earthquake predictability on East Pacific Rise transform faults, *Nature*, 434(7032), 457–461; Correction – *Nature*, 435(7041), 528.
- McGuire, J. J., Li Zhao and Jordan, T. H. (2001). Teleseismic inversion for the second-degree moments of earthquake space-time distributions, *Geophys. J. Int.*, 145, 661–678.
- McKenzie, D. P. and Morgan, W. J. (1969). Evolution of triple junctions, *Nature*, 224(5215), 125–133.
- Meade, B. J. and Hager, B. H. (2005). Spatial localization of moment deficits in southern California, *J. Geophys. Res.*, 110(4), B04402.
- Mehta, M. L., (1991). *Random Matrices*, 2nd ed., Boston, Academic Press.
- Meister, L. and Schaeben, H. (2005). A concise quaternion geometry of rotations, *Math. Meth. Appl. Sci.*, 28, 101–126.
- Michael, A. J. (2011). Random variability explains apparent global clustering of large earthquakes, *Geophys. Res. Lett.*, 38, L21301.
- Michael A. J. and Wiemer, S. (2010). CORSSA: The Community Online Resource for Statistical Seismicity Analysis, DOI: 10.5078/corssa-39071657. Available at: <http://www.corssa.org>.
- Miguel, M.-C., Vespignani, A., Zapperi, S., Weiss, J. and Grasso, J.-R. (2001). Intermittent dislocation flow in viscoplastic deformation, *Nature*, 410, 667–671.
- Mogi, K. (1995). Earthquake prediction research in Japan, *J. Phys. Earth*, 43, 533–561.

- Molchan, G. M. (1990). Strategies in strong earthquake prediction, *Phys. Earth Planet. Inter.*, 61(1–2), 84–98.
- Molchan, G. M. (1991). Structure of optimal strategies in earthquake prediction, *Tectonophysics*, 193(4), 267–276.
- Molchan, G. M. (1997). Earthquake prediction as a decision-making problem, *Pure Appl. Geophys.*, 149(1), 233–247.
- Molchan, G. M. (2003). Earthquake prediction strategies: a theoretical analysis, in V. I. Keilis-Borok and A. A. Soloviev, eds., *Nonlinear Dynamics of the Lithosphere and Earthquake Prediction*, Springer, Heidelberg, pp. 208–237.
- Molchan, G. M. (2010). Space-time earthquake prediction: the error diagrams, *Pure Appl. Geoph. (The Frank Evison Volume)*, 167(8/9), 907–917.
- Molchan, G. M. and Kagan, Y. Y. (1992). Earthquake prediction and its optimization, *J. Geophys. Res.*, 97(B4), 4823–4838.
- Molchan, G. and Keilis-Borok, V. (2008). Earthquake prediction: probabilistic aspect, *Geophys. J. Int.*, 173(3), 1012–1017.
- Molchan, G. and Kronrod, T. (2005). On the spatial scaling of seismicity rate, *Geophys. J. Int.*, 162(3), 899–909.
- Molchan, G. and Kronrod, T. (2009). The fractal description of seismicity, *Geophys. J. Int.*, 179(3), 1787–1799.
- Molchan, G. M. and Podgaetskaya, V. M. (1973). Parameters of global seismicity, I, in V. I. Keilis-Borok, ed., *Computational Seismology*, 6, Nauka, Moscow, 44–66 (in Russian).
- Moran, P. A. P. (1975). Quaternions, Haar measure and estimation of paleomagnetic rotation, in *Perspectives in Probability and Statistics*, J. Gani, ed., Academic Press, San Diego, pp. 295–301.
- Morawiec, A. (2004). *Orientations and Rotations: Computations in Crystallographic Textures*, Springer, Berlin.
- Nadeau, R. M., Foxall, W. and McEvilly, T. V. (1995). Clustering and periodic recurrence of microearthquakes on the San Andreas fault at Parkfield, California, *Science*, 267, 503–507.
- Nadeau, R. M. and Johnson, L. R. (1998). Seismological studies at Parkfield VI: moment release rates and estimates of source parameters for small repeating earthquakes, *Bull. Seismol. Soc. Amer.*, 88, 790–814.
- Nanjo, K. Z., Tsuruoka, H., Hirata, N. and Jordan, T. H. (2011). Overview of the first earthquake forecast testing experiment in Japan, *Earth, Planets, Space*, 63(3), 159–169.
- Nature (1999). Debate on earthquake prediction, February–April. Available at: <http://www.nature.com/nature/-debates/earthquake/equake frameset.html>.
- Nechad, H., Helmstetter, A., El Guerjouma, R. and Sornette, D. (2005). Andrade and critical time to-failure laws in fiber-matrix composites: experiments and model, *J. Mech. Phys. Solids*, 53, 1099–1127.
- Nerenberg, M. A. H. and Essex, C. (1990). Correlation dimension and systematic geometric effects, *Phys. Rev.*, A42, 7065–7074.
- Nishenko, S. P. (1991). Circum-Pacific seismic potential – 1989–1999, *Pure Appl. Geophys.*, 135, 169–259.
- O'Brien, J. F. and Hodgins, J. K. (1999). Graphical modeling and animation of brittle fracture, *Proceedings of Assoc. Computing Machinery (ACM) SIGGRAPH 99*, 137–146.
- Ogata, Y. (1983). Estimation of the parameters in the modified Omori formula for after-shock frequencies by the maximum likelihood procedure, *Journal of Physics of the Earth*, 31, 115–124.
- Ogata, Y. (1988). Statistical models for earthquake occurrence and residual analysis for point processes, *J. Amer. Statist. Assoc.*, 83, 9–27.
- Ogata, Y. (1998). Space-time point-process models for earthquake occurrences, *Ann. Inst. Statist. Math.*, 50(2), 379–402.



- Ogata, Y. (2004). Space-time model for regional seismicity and detection of crustal stress changes, *J. Geophys. Res.*, 109(B3), Art. No. B03308. Correction, *J. Geophys. Res.*, 109(B6), Art. No. B06308 (2004).
- Ogata, Y., Jones, L. M. and Toda, S. (2003). When and where the aftershock activity was depressed: contrasting decay patterns of the proximate large earthquakes in southern California, *J. Geophys. Res.*, 108(B6), 2318.
- Ogata, Y. and Katsura, K. (1991). Maximum likelihood estimates of the fractal dimension for random point patterns, *Biometrika*, 78, 463–474.
- Ogata, Y. and Zhuang, J. C. (2006). Space-time ETAS models and an improved extension, *Tectono-physics*, 413(1–2), 13–23.
- Ojala, I. O., Main, I. G. and Ngwenya, B. T. (2004). Strain rate and temperature dependence of Omori law scaling constants of AE data: implications for earthquake foreshock-aftershock sequences, *Geophys. Res. Lett.*, 31, L24617.
- Okal, E. A. (2013). Earthquake: focal mechanism, *Encyclopedia of Earth Sciences Series 2011*, pp. 194–199, DOI: 10.1007/978-90-481-8702-7\_158.
- Okal, E. A. and Romanowicz, B. A. (1994) On the variation of  $b$ -values with earthquake size, *Phys. Earth Planet. Inter.*, 87, 55–76.
- Omori, F. (1894). On the after-shocks of earthquakes, *J. College Sci., Imp. Univ. Tokyo*, 7, 111–200 (with Plates IV–XIX).
- Otter, R. (1949). The multiplicative process, *Annals Math. Statistics*. 20(2), 206–224.
- Palmer, T. N. and Hagedorn, R. (2006). *Predictability of Weather and Climate*, Cambridge University Press, New York.
- Pareto, V. (1897). *Œuvres Complètes*, Publ. by de Giovanni Busino, Droz, Geneva, vol. II (1964).
- Park, S.C. and Mori, J. (2007). Triggering of earthquakes during the 2000 Papua New Guinea earthquake sequence, *J. Geophys. Res.*, 112(B3), Article Number: B03302.
- Parsons, T. (2002). Global Omori law decay of triggered earthquakes: large aftershocks outside the classical aftershock zone, *J. Geophys. Res.*, 107, 2199.
- Parsons, T. (2009). Lasting earthquake legacy, *Nature* 462(7269), 42–43.
- Patil, G. P. (1962). Some methods of estimation for logarithmic series distribution, *Biometrics*, 18(1), 68–75.
- Patil, G. P. and Wani, J. K. (1965). Maximum likelihood estimation for the complete and truncated logarithmic series distributions, *Sankhya*, 27A(2/4), 281–292.
- Penrose, R. (2005). *The Road to Reality: A Complete Guide to the Laws of the Universe*, New York, Knopf.
- Perez-Campos, X., Singh, S. K. and Beroza, G. C. (2003). Reconciling teleseismic and regional estimates of seismic energy, *Bull. Seismol. Soc. Amer.*, 93(5), 2123–2130.
- Pisarenko, D. V. and Pisarenko, V. F. (1995). Statistical estimation of the correlation dimension, *Physics Letters A*, 197, 31–39.
- Pisarenko, V. and Rodkin, M. (2010). *Heavy-Tailed Distributions in Disaster Analysis*, Springer, New York.
- Pisarenko, V. F. (1998). Non-linear growth of cumulative flood losses with time, *Hydrological Processes*, 12, 461–470.
- Popper, K. R. (1980). *Logic of Scientific Discovery*, 2nd ed., Hutchinson, London.
- Powers, P. M. and Jordan, T. H. (2010). Distribution of seismicity across strike-slip faults in California, *J. Geophys. Res.*, 115(B05), Article Number B05305.
- Press, W. H., Teukolsky, S. A., Vetterling, W. T. and Flannery, B. P. (1992). *Numerical Recipes in FORTRAN*, 2nd ed., Cambridge University Press, Cambridge.
- Reasenber, P. A. (1999). Foreshock occurrence rates before large earthquakes worldwide, *Pure Appl. Geophys.*, 155(2–4), 355–379.
- Reasenber, P. A. and Jones, L. M. (1989). Earthquake hazard after a mainshock in California, *Science*, 243, 1173–1176.

- Reasenberg, P. A. and Jones, L. M. (1994). Earthquake aftershocks: update, *Science*, 265, 1251–1252.
- Rhoades, D. A. (1996). Estimation of the Gutenberg-Richter relation allowing for individual earthquake magnitude uncertainties, *Tectonophysics*, 258, 71–83.
- Rhoades, D. A. (1997). Estimation of attenuation relations for strong-motion data allowing for individual earthquake magnitude uncertainties, *Bull. Seismol. Soc. Amer.*, 87(6), 1674–1678.
- Rhoades, D. A. (2007). Application of the EEPAS model to forecasting earthquakes of moderate magnitude in southern California, *Seism. Res. Lett.*, 78(1), 110–115.
- Rhoades, D. A. and Dowrick, D. J. (2000). Effects of magnitude uncertainties on seismic hazard estimates, in Proceedings of the 12th World Conference on Earthquake Engineering, Auckland, New Zealand, 30th January 4th February 2000, Paper No. 1179. New Zealand Society for Earthquake Engineering, Upper Hutt, New Zealand, *Bull. N.Z. Soc. Earthqu. Eng.*, 33(3).
- Rhoades, D. A. and Evison, F. F. (2005). Test of the EEPAS forecasting model on the Japan earthquake catalogue, *Pure Appl. Geophys.*, 162(67), 1271–1290.
- Rhoades, D. A. and Evison, F. F. (2006). The EEPAS forecasting model and the probability of moderate-to-large earthquakes in central Japan, *Tectonophysics*, 417(1–2), 119–130.
- Rhoades, D. A., Schorlemmer, D., Gerstenberger, M. C., Christophersen, A., Zechar, J. D. and Imoto, M. (2011). Efficient testing of earthquake forecasting models, *Acta Geophysica*, 59(4), 728–747.
- Rice, J. R. and Ben-Zion, Y. (1996). Slip complexity in earthquake fault models, *Proc. Nat. Acad. Sci. USA*, 93, 3811–3818.
- Richards-Dinger, K. B. and Shearer, P. M. (2000). Earthquake locations in southern California obtained using source-specific station terms, *J. Geophys. Res.*, 105(B5), 10939–10960.
- Richardson, E. and Jordan, T. H. (2002). Low-frequency properties of intermediate-focus earthquakes, *Bull. Seismol. Soc. Amer.*, 92(6), 2434–2448.
- Richeton, T., Weiss, J., and Louchet F. (2005). Breakdown of avalanche critical behaviour in polycrystalline plasticity, *Nature Materials*, 4(6), 465–469.
- Robertson, M. C., Sammis, C. G., Sahimi, M. and Martin, A. J. (1995). Fractal analysis of three-dimensional spatial distributions of earthquakes with a percolation interpretation, *J. Geophys. Res.*, 100, 609–620.
- Rockwell, T. K., Lindvall, S., Herzberg, M., Murbach, D., Dawson, T. and Berger, G. (2000). Paleoseismology of the Johnson Valley, Kickapoo, and Homestead Valley faults: clustering of earthquakes in the eastern California shear zone, *Bull. Seismol. Soc. Amer.*, 90, 1200–1236.
- Roeloffs, E. and Langbein, J. (1994). The earthquake prediction experiment at Parkfield, California, *Rev. Geophys.*, 32, 315–336.
- Romashkova, L. L. (2009). Global-scale analysis of seismic activity prior to 2004 Sumatra-Andaman mega-earthquake, *Tectonophysics*, 470, 329–344.
- Rong, Y.-F. and Jackson, D.D. (2002). Earthquake potential in and around China: estimated from past earthquakes, *Geophys. Res. Lett.*, 29(16): art. no. 1780.
- Rong, Y.-F., Jackson, D. D. and Kagan, Y. Y. (2003). Seismic gaps and earthquakes, *J. Geophys. Res.*, 108(B10), 2471, ESE-6.
- Rundle, J. B., Turcotte, D. L., Shcherbakov, R., Klein, W. and Sammis, C. (2003). Statistical physics approach to understanding the multiscale dynamics of earthquake fault systems, *Rev. Geophys.*, 41(4), Article Number 1019.
- Samorodnitsky, G. and Taqqu, M. S. (1994). *Stable Non-Gaussian Random Processes: Stochastic Models with Infinite Variance*, Chapman and Hall, New York.
- Schaeben, H. (2010). Special issue on spherical mathematics and statistics, *Math Geosci.*, 42, 727–730.
- Schoenberg, F. P., Kumar, S., Zaliapin, I., and Kagan, Y. (2006). Statistical modeling of seismic moment release, *Eos Trans. AGU*, 87(52), Fall Meet. Suppl., Abstract S13A-0212.
- Scholz, C. (1997). Whatever happened to earthquake prediction?, *Geotimes*, 42(3), 16–19.
- Scholz, C. H. (1996). Faults without friction?, *Nature*, 381, 556–557.

- Scholz, C. H. (2002) *The Mechanics of Earthquakes and Faulting*, 2nd ed., Cambridge University Press, Cambridge.
- Schorlemmer, D. and Gerstenberger, M. C. (2007). RELM testing Center, *Seism. Res. Lett.*, 78(1), 30–35.
- Schorlemmer, D., Gerstenberger, M. C. Wiemer, S., Jackson, D. D. and Rhoades, D. A. (2007). Earthquake likelihood model testing, *Seism. Res. Lett.*, 78(1), 17–29.
- Schorlemmer D., Wiemer, S. and Wyss, M. (2005). Variations in earthquake-size distribution across different stress regimes, *Nature*, 437, 539–542.
- Schwartz, D. P. and Coppersmith, K. J. (1984). Fault behavior and characteristic earthquakes: examples from Wasatch and San Andreas fault zones, *J. Geophys. Res.*, 89, 5681–5698.
- Schwartz, S. Y. and Rokosky, J. M. (2007). Slow slip events and seismic tremor at circum-Pacific subduction zones, *Reviews Geophysics*, 45(3), Art. No. RG3004.
- Sharon, E. and Fineberg, J. (1996). Microbranching instability and the dynamic fracture of brittle materials, *Physical Review B*, 54, 7128–7139.
- Sharon, E. and Fineberg, J. (1999). Confirming the continuum theory of dynamic brittle fracture for fast cracks, *Nature*, 397, 333–335.
- Shearer, P., Hauksson E., and Lin, G. Q. (2005). Southern California hypocenter relocation with waveform cross-correlation, Part 2: Results using source-specific station terms and cluster analysis, *Bull. Seismol. Soc. Am.*, 95(3), 904–915.
- Shearer, P. and Stark, P. B. (2012). Global risk of big earthquakes has not recently increased, *Proceedings of PNAS*, 109(3), 717–721.
- Shelly, D. R., Beroza, G. C. and Ide, S. (2007). Non-volcanic tremor and low frequency earthquake swarms, *Nature*, 446, 305–307.
- Shepperd, S. W. (1978). Quaternion from rotation matrix, *J. Guidance and Control*, 1, 223–224.
- Shimazaki, K. and Nakata, T. (1980). Time-predictable recurrence model for large earthquakes, *Geophys. Res. Lett.*, 7, 279–282.
- Shlien, S. and Toksöz, M. N. (1970). A clustering model for earthquake occurrences. *Bull. Seismol. Soc. Amer.*, 60(6), 1765–1788.
- Silverman, B. W. (1986). *Density Estimation for Statistics and Data Analysis*, Chapman and Hall, London.
- Simons, M., Minson, S. E., Sladen, A., Ortega, F., Jiang, J. L., Owen, S. E., Meng, L. S., Ampuero, J. P., Wei, S. J., Chu, R. S., Helmberger, D. V., Kanamori, H., Hetland, E., Moore, A.W., and Webb, F. H. (2011) The 2011 magnitude 9.0 Tohoku-Oki earthquake: mosaicking the megathrust from seconds to centuries, *Science*, 332(6036), 1421–1425.
- Small, C. G. (1996). *The Statistical Theory of Shape*, Springer, New York.
- Smith, L. A. (1988). Intrinsic limits on dimension calculations, *Physics Letters A*, 133, 283–288.
- Snieder, R., and van Eck, T. (1997). Earthquake prediction: a political problem?, *Geologische Rundschau*, 86, 446–463.
- Snoke, J. A. (2003). FOCMEC: FOCal MECHANism determinations, in *International Handbook of Earthquake and Engineering Seismology* W. H. K. Lee, H. Kanamori, P. C. Jennings and C. Kisslinger, eds., Academic Press, San Diego, pp. 1629–1630.
- Soler, T. and van Gelder, B. H. W. (1991). On covariances of eigenvalues and eigenvectors of second-rank symmetric tensors, *Geophys. J. Int.*, 105, 537–546.
- Sornette, D. (2003). *Critical Phenomena in Natural Sciences (Chaos, Fractals, Self-organization, and Disorder: Concepts and Tools)*, 2nd edn, Springer, New York.
- Sornette, D. and Werner, M. J. (2005). Apparent clustering and apparent background earthquakes biased by undetected seismicity, *J. Geophys. Res.*, 110(9), B09303.
- Sornette, D. and Werner, M. J. (2008). Statistical physics approaches to seismicity, in *Encyclopedia of Complexity and System Science*, Vol. 9, R. Meyer, ed., Springer, New York, pp. 7872–7891.
- Stark, P. B. and Freedman, D. A. (2003). What is the chance of an earthquake?, in *Earth-Quake Science and Seismic Risk Reduction*, F. Mulargia and R. J. Geller, eds., Kluwer, Dordrecht, pp. 201–213.

- Steacy, S., Gomberg, J. and Cocco, M. (2005). Introduction to special section: stress transfer, earthquake triggering, and time-dependent seismic hazard, *J. Geophys. Res.*, 110(B5), B05S01.
- Stein, R. S. (1999). The role of stress transfer in earthquake occurrence, *Nature*, 402, 605–609.
- Stein, S., Geller, R., and Liu, M. (2011). Bad assumptions or bad luck: why earthquake hazard maps need objective testing, *Seismol. Res. Lett.*, 82(5), 623–626.
- Stein, S. and Liu, M. (2009). Long aftershock sequences within continents and implications for earthquake hazard assessment, *Nature* 462(7269), 87–89.
- Stein, R. S., Toda, S., Parsons, T. and Grunewald, D. E. (2006). A new probabilistic seismic hazard assessment for greater Tokyo, *Phil. Trans. R. Soc. A*, 364, 1965–1988.
- Swets, J. A. (1973). The relative operating characteristic in psychology, *Science*, 182(4116), 990–1000.
- Tanioka, Y. and Ruff, L. (1997). Source time functions, *Seismol. Res. Lett.*, 68(3), 386–397.
- Tape, W. and Tape, C. (2012). Angle between principal axis triples, *Geophys. J. Int.* 191(2), 813–831.
- Thio, H. K. and Kanamori, H. (1996). Source complexity of the 1994 Northridge earthquake and its relation to aftershock mechanisms, *Bull. Seismol. Soc. Amer.*, 86, S84–S92.
- Thomson Scientific/ISI (2006). Available at: <http://www.isinet.com/>; ISI Web of Science, 2006. The Thomson Corporation, Thomson Reuters' Web of Science available at: <http://portal.isiknowledge.com/portal.cgi> (last accessed March 2009).
- Tinti, S. and Mulargia, F. (1985). Effects of magnitude uncertainties on estimating the parameters in the Gutenberg-Richter frequency-magnitude law, *Bull. Seismol. Soc. Amer.*, 75, 1681–1697.
- Tripathi, R. C. (2006). Negative binomial distribution, in *Encyclopedia of Statistical Sciences*, Kotz, S., N. Balakrishnan, C. Read and B. Vidakovic, eds., 2nd ed., Wiley-Interscience, Hoboken, NJ, vol. 8, pp. 5413–5420.
- Tsai, V.C., Nettles, M., Ekström, G., and Dziewonski, A.M. (2005). Multiple CMT source analysis of the 2004 Sumatra earthquake, *Geophys. Res. Lett.*, 32, L17304, DOI: 10.1029/2005GL023813.
- Turcotte, D. L. (1986). A fractal model for crustal deformation, *Tectonophysics*, 132, 261–269.
- Turcotte, D. L. (1997). *Fractals and Chaos in Geology and Geophysics*, 2nd ed., Cambridge University Press, Cambridge.
- Uchaikin, V. V. and Zolotarev, V. M. (1999). *Chance and Stability: Stable Distributions and Their Applications*, VSP International Science Publishers, Utrecht.
- U.S. Geological Survey, Preliminary Determinations of Epicenters (PDE) (2008). U.S. Dep. of Inter., Natl. Earthquake Inf. Cent. available at: <http://neic.usgs.gov/neis/epic/epic.html>.
- Utsu, T. (1961). A statistical study on the occurrence of aftershocks, *Geoph. Magazine*, 30, 521–605.
- Utsu, T. (1999). Representation and analysis of the earthquake size distribution: a historical review and some new approaches, *Pure Appl. Geophys.*, 155, 509–535.
- Utsu, T., Ogata, Y. and Matsu'ura, R. S. (1995). The centenary of the Omori formula for a decay law of aftershock activity, *J. Phys. Earth*, 43, 1–33.
- van Stiphout, T., Wiemer, S. and Marzocchi, W. (2010). Are short-term evacuations warranted? Case of the 2009 L'Aquila earthquake, *Geophys. Res. Lett.*, 37, L06306.
- Vere-Jones, D. (1970). Stochastic models for earthquake occurrence (with discussion), *J. Roy. Stat. Soc.*, B32, 1–62.
- Vere-Jones, D. (1976). A branching model for crack propagation, *Pure Appl. Geophys.*, 114, 711–725.
- Vere-Jones, D. (1988). Statistical aspects of the analysis of historical earthquake catalogues, in *Historical Seismicity of Central-Eastern Mediterranean Region*, C. Margottini, ed., pp. 271–295.
- Vere-Jones, D. (1998). Probabilities and information gain for earthquake forecasting, *Computational Seismology*, 30, *Geos, Moscow*, 248–263.

- Vere-Jones, D. (1999). On the fractal dimensions of point patterns, *Adv. Appl. Probab.*, 31, 643–663.
- Vere-Jones, D. (2009). Stochastic models for earthquake occurrence and mechanisms, *Encyclopedia of Complexity and Systems Science*, Springer, New York, pp. 2555–2581.
- Vere-Jones, D. (2010). Foundations of statistical seismology, *Pure Appl. Geophys.*, 167(6/7), 645–653.
- Vere-Jones, D., Davies, R. B., Harte, D., Mikosch, T. and Wang, Q. (1997). Problems and examples in the estimation of fractal dimension from meteorological and earthquake data, in *Proc. Int. Conf. on Application of Time Series in Physics, Astronomy and Meteorology*, T. Subba, M. Rao, B. Priestley and O. Lessi, eds., Chapman & Hall, London, pp. 359–375.
- Vere-Jones, D., Robinson, R. and Yang, W. Z. (2001). Remarks on the accelerated moment release model: problems of model formulation, simulation and estimation, *Geophys. J. Int.*, 144, 517–531.
- Wang, Q., Jackson, D. D. and Kagan, Y. Y. (2009). California earthquakes, 18002007: a unified catalog with moment magnitudes, uncertainties, and focal mechanisms, *Seism. Res. Lett.*, 80(3), 446–457.
- Ward, J. P. (1997). *Quaternions and Cayley Numbers: Algebra and Applications*, Kluwer Academic Publishers, London.
- Watson, G. S. (1983). *Statistics on Spheres*, John Wiley, New York.
- Weeks, J. R. (2002). *The Shape of Space*, 2nd ed., CRC Press, Boca Raton, FL.
- Weiss, J. and Marsan, D. (2003). Three-dimensional mapping of dislocation avalanches: clustering and space/time coupling, *Science*, 299, 89–92.
- Wells, D. L. and Coppersmith, K. J. (1994). New empirical relationships among magnitude, rupture length, rupture width, rupture area, and surface displacement, *Bull. Seismol. Soc. Amer.*, 84, 974–1002.
- Werner, M. J., Helmstetter, A., Jackson, D. D. and Kagan, Y. Y. (2011). High resolution long- and short-term earthquake forecasts for California, *Bull. Seismol. Soc. Amer.*, 101(4), 1630–1648.
- Werner, M. J. and Sornette, D. (2008). Magnitude uncertainties impact seismic rate estimates, forecasts and predictability experiments, *J. Geophys. Res.*, 113B8, Article Number: B08302.
- Wilks, S. S. (1962). *Mathematical Statistics*, John Wiley, New York.
- Wolfram, S. (1999). *The Mathematica Book*, 4th ed., Wolfram Media, Champaign, IL, Cambridge University Press, New York.
- Wood, H. O. and Gutenberg, B. (1935). Earthquake prediction, *Science*, 82, 219–220.
- Working Group on California Earthquake Probabilities (WG02) (2003). *Earthquakes Probabilities in the San Francisco Bay Region: 2002 to 2031*, USGS, Open-file Rept. 03 214; available at: <http://pubs.usgs.gov/of/2003/of03-214>.
- Xu, P. L. (1999). Spectral theory of constrained second-rank symmetric random tensors, *Geophys. J. Int.*, 138, 1–24.
- Xu, P. L. (2002). Isotropic probabilistic models for directions, planes, and referential systems, *Proc. R. Soc. London*, 458A(2024), 2017–2038.
- Yaglom, A. (2001). The century of turbulence theory: The main achievements and unsolved problems, in *New Trends in Turbulence*, M. Lesieur, A. Yaglom and F. David, eds., NATO ASI, Session LXXIV, Springer, Berlin., pp. 1–52.
- Young, J. B., Presgrave, B. W., Aichele, H., Wiens, D. A. and Flinn, E. A. (1996). The Flinn-Engdahl regionalisation scheme: the 1995 revision, *Phys. Earth Planet. Inter.*, 96, 223–297.
- Zaiser, M. (2006). Scale invariance in plastic flow of crystalline solids, *Advances in Physics*, 55(1–2), 185–245.
- Zaiser, M. and Moretti, P. (2005). Fluctuation phenomena in crystal plasticity: a continuum model, *J. Statistical Mechanics*. P08004, 1–19.
- Zaiser, M. and Nikitas, N. (2007). Slip avalanches in crystal plasticity: scaling of the avalanche cut-off, *J. Stat. Mech.*, P04013.



- Zaiser, M., Schwerdtfeger, J., Schneider, A. S., Frick, C. P., Clark, B. G., Gruber, P. A. and Arzt, E. (2008). Strain bursts in plastically deforming molybdenum micro- and nanopillars, *Philosophical Magazine*, 88(30), 3861–3874.
- Zaliapin, I. V., Kagan Y. Y. and Schoenberg, F. P. (2005a). Approximating the distribution of Pareto sums, *Pure Appl. Geoph.*, 162(6–7), 1187–1228.
- Zaliapin, I., Kagan Y. Y. and Schoenberg, F. P. (2005b). Estimation of seismic moment release with implications for regional hazard assessment, *Eos Trans. AGU*, 86(52), Fall Meet. Suppl., Abstract S53B-1096.
- Zechar, J. D., Hardebeck, J. L., Michael, A. J., Naylor, M., Steacy, S., Wiemer, S., Zhuang, J. and the CORSSA Working Group (2011). Community Online Resource for Statistical Seismicity Analysis, *Seismol. Res. Lett.*, 82(5), 686–690.
- Zechar, J. D. and Jordan, T. H. (2008). Testing alarm-based earthquake predictions, *Geophys. J. Int.*, 172(2), 715–724.
- Zechar, J. D., Schorlemmer, D., Werner, M. J., Gerstenberger, M., C., Rhoades, D. A. and Jordan, T. H. (2013). Regional earthquake likelihood models I: first-order results, *Bull. Seismol. Soc. Amer.*, 103(2a), 787–798.
- Zhuang, J. (2011). Next-day earthquake forecasts for the Japan region generated by the ETAS model, *Earth Planets Space*, 63, 207–216.
- Zhuang, J. C., Chang, C.-P., Ogata, Y. and Chen, Y.-I. (2005). A study on the background and clustering seismicity in the Taiwan region by using point process models, *J. Geophys. Res.*, 110, B05S18.
- Zhuang, J. C., Ogata, Y. and Vere-Jones, D. (2004). Analyzing earthquake clustering features by using stochastic reconstruction, *J. Geophys. Res.*, 109(B5), Art. No. B05301.
- Zolotarev, V. M. (1986). *One-Dimensional Stable Distributions*, Amer. Math. Soc., Providence, RI.
- Zolotarev, V. M. and Strunin, B. M. (1971). Internal-stress distribution for a random distribution of point defects, *Soviet Phys. Solid State*, 13, 481–482 (English translation).