
Index

- 30-60-90 triangle, 190, 233
- 36-72-72 triangle, 226
- 360 theorem, 96, 97
- 45-45-90 triangle, 190, 233
- 60-60-60 triangle, 189

- AA congruence theorem for asymptotic triangles, 353
- AA similarity theorem, 216
- AAA congruence theorem in hyperbolic geometry, 338
- AAA construction theorem, 191
- AAASA congruence, 197, 354
- AAS congruence theorem, 119
- AASAS congruence, 179
- ABCD property of rigid motions, 441
- absolute value, 434
- acute angle, 88
- acute triangle, 105
- adapted coordinate function, 72
- adjacency lemma, 98
- adjacent angles, 90, 91
- adjacent edges of a polygon, 156
- adjacent interior angle, 113
- admissible decomposition, 201
- algebraic number, 317
- all-or-nothing theorem, 333
- alternate interior angles, 150
- alternate interior angles postulate, 323
- alternate interior angles theorem, 150
 - converse, 185, 323
- altitude concurrence theorem, 269
- altitude of a triangle, 144, 208
 - intersects interior of a side, 144
 - to the base of an isosceles triangle, 145
 - to the hypotenuse, 144
 - to the longest side, 144
- Amtrak model, 29
- and (logical conjunction), 385
- angle, 83
 - acute, 88
 - included between two sides, 104
 - inscribed in a semicircle, 257
 - inscribed in an arc, 257
 - obtuse, 88
 - of a polygon, 156
 - of a triangle, 103
 - of an asymptotic triangle, 351
 - on a side of a line, 149
 - opposite a side, 104
 - proper, 84
 - right, 88
 - straight, 84
 - zero, 84
- angle addition theorem, 90
- angle bisector, 100, 147
- angle bisector concurrence theorem, 268
- angle bisector proportion theorem, 219
- angle bisector theorem, 147
 - converse, 149
- angle construction theorem, 88
- angle criterion for convexity, 160
- angle measure, 54, 85
 - between two lines, 357
 - in taxicab geometry, 138
 - in the Cartesian plane, 125

- in the Poincaré disk, 133
- interior, 173
- of a regular polygon, 192
- properties of, 86
- reflex, 87
- standard, 87
- angle measure postulate, 85
- angle measurement postulate (MSG), 21, 380
- angle of parallelism, 367
- angle-side-longer-side congruence theorem, 121
- angle subtraction theorem, 90
- angle sum, 189
 - of an asymptotic triangle, 351
 - of two angles of a triangle, 114
- angle-sum postulate, 325
 - weak, 333
- angle-sum theorem
 - for asymptotic triangles, 352
 - for convex polygons, 191
 - for convex quadrilaterals, 194
 - for general polygons, 193
 - for triangles, 189, 325
 - hyperbolic, 338
- arbitrary, 412
- arc, 254
 - inscribed, 257
 - intercepted, 257
 - major, 254
 - minor, 254
 - semicircle, 254
- arc addition theorem, 261
- arc length, 293
- arc measure, 257
- arccosine, 125
- Archimedean property, 438
- Archimedes' theorem, 292
- area, 199–210
 - of a circular region, 291–293
 - of a parallelogram, 209
 - of a polygon, 200
 - of a rectangle, 207
 - of a right triangle, 207
 - of a sector, 294
 - of a square, 206
 - of a trapezoid, 209
 - of a triangle, 208
- area addition property, 200
- area congruence property, 200
- area function, 200
- area paradox, 211
- area postulate
 - Euclidean, 200
 - hyperbolic, 371
 - is not independent, 209
- area scaling theorem
 - quadrilateral, 226
 - triangle, 226
- Aristotle, 363
- Aristotle's lemma, 363
- ASA congruence theorem, 108
- ASAAS congruence, 197
- ASASA congruence, 197
- ASASS congruence, 197
- AsS congruence theorem, 121
- ASS nontheorem, 120, 122
- ASSAS congruence, 197
- asymptotic rays, 344
 - determine parallel lines, 344
 - endpoint independence, 348
 - existence and uniqueness, 345
 - symmetry property, 347
 - transitive property, 349
- asymptotic triangle, 350
 - AA congruence theorem, 353
 - angle sum of, 351
 - angle-sum theorem, 352
 - copying theorem, 352
 - defect addition theorem, 353
 - defect of, 351
 - exterior angle inequality, 353
 - exterior angle of, 351
 - Pasch's theorem for, 353
 - remote interior angle of, 351
 - SA congruence theorem, 351
 - SA inequality, 353
- asymptotically parallel lines, 355
 - distance between, 365
 - existence and uniqueness, 357
- atomic statement, 384
- axiom, 13, 23
 - of incidence geometry, 25
- axiomatic method, 23
- axiomatic system, 13, 23
- base
 - of a parallelogram, 209
 - of a Saccheri quadrilateral, 341
 - of a trapezoid, 209
 - of a triangle, 208
 - of an isosceles triangle, 105
- base angles, 105

- Beltrami, Eugenio, 11, 35
 Beltrami–Klein disk, 35, 41
 betweenness
 consistency of, 61, 90
 in Hilbert's axioms, 20, 23, 375
 of numbers, 59
 of points, 60
 of rays, 89
 symmetry of, 60, 89
 vs. betweenness, 99
 vs. interior, 97
 betweenness axiom, Hilbert's, 61, 375
 betweenness theorem
 converse, 61, 117
 for points, 60
 for rays, 89
 biconditional statement, 392
 bijective function, 57, 429
 Birkhoff's axioms, 377
 Birkhoff, George D., 20, 53, 377
 bisect, 68
 bisector
 of an angle, 100, 147, 298
 perpendicular, 145, 146
 Bolyai, János, xiii, 10
 boundary of a simple polygonal region, 199
 braces in set notation, 424

 Cartesian plane, 33–34, 125–132
 is a model of Euclidean geometry, 132
 is a model of incidence geometry, 33
 is a model of neutral geometry, 132
 Cartesian product, 426
 cases, proof by, 414
 categorical axiomatic system, 132, 243
 Euclidean geometry, 132, 243
 center
 of a circle, 70, 247
 of a regular polygon, 271
 central angle
 of a circle, 257
 of a regular polygon, 271
 centroid, 224
 Ceva's theorem, 223
 Ceva, Giovanni, 223
 cevian, 223
 chord
 of a circle, 35, 247, 250
 of a polygon, 161, 162
 circle, 70, 247
 area of, 293
 circumference of, 289
 through three noncollinear points, 264
 unit, 289
 circular region, 290
 area of, 291
 circumcenter, 262
 circumcircle, 262
 for a triangle, 263
 circumcircle postulate, 335
 circumcircle theorem, 263
 circumference, 284
 approximation by regular polygons, 285
 formula for, 289
 scaling theorem, 288
 circumscribed circle, 262
 constructing, 305
 for a triangle, 263
 circumscribed polygon, 265
 is convex, 266
 regular, 273
 Clairaut's postulate, 330
 Clairaut, Alexis, 330
 classification of parallels through a point, 357
 closed half-plane, 77
 closed interval, 434
 closest point, 146
 on a line, 147
 on a segment, 147
 closure properties of numbers, 435
 codomain of a function, 428
 coefficient of a polynomial, 314
 collection (synonym for set), 423
 collinear points
 in incidence geometry, 25
 in plane geometry, 55
 collinear rays, 74
 common notions
 for angles, 90
 for segments, 66
 of Euclid, 4
 common perpendicular, 151, 187, 359, 360
 uniqueness, 359
 common perpendicular theorem, 151
 converse, 187
 compass and straightedge, 3, 295, 296
 complementary angles, 91
 components
 of a vector, 124
 of an ordered pair, 426
 composition of rigid motions, 449
 compound statement, 385

- concave polygon, 158
 concave vertex, 172
 concentric circles, 247, 248
 conclusion
 - in Greek proofs, 7
 - of a rule of inference, 408
 - of an implication, 388
 concurrence theorem
 - altitude, 269
 - angle bisector, 268
 - median, 224
 - perpendicular bisector, 264
 concurrent, 223, 262
 conditional statement, 388
 congruence
 - in Hilbert's axioms, 20, 23, 375, 376
 - of angles, 88
 - of asymptotic triangles, 351
 - of convex polygons, 159
 - of polygons, 173
 - of segments, 64
 - of simple polygonal regions, 199
 - of triangles, 106
 - via rigid motions, 446
 congruent, *see* congruence
 conjugate arcs, 254, 257
 conjunction, 385
 connective, logical, 385
 consecutive angles of a polygon, 156
 consecutive interior angles, 150
 consecutive interior angles theorem, 151
 - converse, 186
 consecutive vertices of a polygon, 156
 consistency
 - of an axiomatic system, 32
 - of betweenness of points, 61
 - of betweenness of rays, 90
 - of endpoints of arcs, 256
 - of endpoints of rays, 76
 - of endpoints of segments, 66
 - of polygon vertices, 157, 159
 - of triangle vertices, 103
 - of vertices of proper angles, 84
 - relative, 32
 constant of proportionality, 214
 constructible angle, 313
 constructible circle, 308
 constructible line, 308
 constructible number, 308
 - characterization of, 311
 constructible point, 308
 - constructing a perpendicular, 101
 - constructing a rectangle, 195
 - constructing a square, 196
 construction
 - compass and straightedge, 296–319
 - in Greek proofs, 3, 6, 7
 - constructive proof, 417
 contains (a point)
 - in incidence geometry, 24
 - in plane geometry, 55
 contrapositive, 391
 - proof by, 411
 converse, 391
 convex decomposition lemma, 201
 convex polygon, 157–166
 - angle criterion, 160
 - characterizations of, 173
 - diagonal criterion, 176
 - interior of, 164, 171
 - semiparallel criterion, 161, 176
 - vertex criterion, 160
 convex quadrilateral, 175–183
 - diagonal criterion, 176
 - semiparallel criterion, 176
 convex set, 80
 - intersection of, 80
 convex vertex, 172
 coordinate
 - of a point, 57
 - of a ray, 86
 coordinate function
 - adapted to a ray, 72
 - for a half-rotation, 86
 - for a line, 57
 - starting at a ray, 86
 coordinate representation
 - of a ray, 72
 - of a segment, 67
 copying theorem
 - asymptotic triangle, 352
 - quadrilateral, 179, 300
 - triangle, 111, 300
 corollary, 6, 24
 correspondence, one-to-one, 429
 corresponding angles, 150
 corresponding angles theorem, 151
 - converse, 186
 cosine, 238, 239
 - is injective, 239
 cosines, law of, 240
 cross lemma, 177

- crossbar theorem, 106
 cubic polynomial, 314
 cut by a transversal, 149
 cutting off a segment, 74, 297
 cyclic polygon, 262, 263
 is convex, 262
 cyclic quadrilateral, 264, 276
 cyclic triangle theorem, 263
- dart, 183
 decagon, 157
 decomposition lemma
 convex, 201
 parallelogram, 203
 defect
 of a polygon, 328, 371
 of a triangle, 328
 of an asymptotic triangle, 351
 defect addition theorem, 328
 for asymptotic triangles, 353
 defect formula, 372
 defined terms, 23
 definition
 descriptive, 2
 logical, 2
 mathematical, 401
 degree
 in angle measure, 85
 of a polynomial, 314
 density of real and rational numbers, 438
 Descartes, René, 33, 311
 descriptive definition, 2
 diagonal
 of a polygon, 156
 of a square, 234
 diagonal criterion for convex quadrilaterals, 176
 diagonal scaling theorem, 226
 diameter of a circle, 247
 length of, 248
 difference of sets, 425
 different (meaning not equal), 25, 393
 differential geometry, 135, 373–374
 direct proof, 410
 disjoint sets, 425
 disjunction, 386
 proof of, 415
 displacement vector, 124
 distance
 as a primitive term, 54
 between real numbers, 57
 from a point to a line, 147
 from a point to a segment, 147
 from a point to a set, 146
 in plane geometry, 54, 56
 in taxicab geometry, 138
 in the Cartesian plane, 125
 in the Poincaré disk, 132
 properties of, 59
 distance postulate, 56
 distance-preserving function, 57
 distinct (meaning not equal), 25, 393
 divides, 434
 divisible, 434
 dodecagon, 157
 domain
 of a function, 428
 of a variable, 394
 dot product, 125
 double angle formula
 for cosine, 242
 for sine, 242
 double elliptic geometry, 35
 doubling a cube, 308, 317
 doubling a square, 305
 dropping a perpendicular, 142
- edge
 finite, of an asymptotic triangle, 351
 of a polygon, 156
 of a triangle, 103
 edge line, 158
 edge-line lemma, 158
 element of a set, 423
Elements of Euclid, 1
 elliptic geometry, 11
 double, 35
 single, 35, 41, 136
 elliptic parallel postulate, 38
 empty set, 424
 endpoint
 of a ray, 71
 of a segment, 65
 of an arc, 254
 endpoint independence of asymptotic rays, 348
 enunciation (in Greek proofs), 6
 equality
 in Euclid's *Elements*, 3
 in modern mathematics, 25, 393
 of functions, 428
 of ordered pairs, 426
 of sets, 424
 equiangular polygon, 159

- equiangular quadrilateral, 181, 182, 194
 equiangular triangle, 105, 110
 equidistance postulate, 323
 equidistance theorem, 152
 converse, 187
 equidistant
 from a line, 151
 from two lines, 147
 from two points, 68
 equidistant lines, 151, 152, 187, 362
 symmetry of, 188
 equilateral polygon, 159
 equilateral triangle, 104, 110
 construction theorem, 191, 296
 equivalence, 392
 proof of, 413
 equivalence relation, 393
 equivalent postulates, 191, 321
 Erchinger, Johannes, 318
 Erlangen program, 373
 Euclid, 1
 Euclid's *Elements*, 1
 Euclid's Postulate 1, 3
 Euclid's Postulate 2, 3
 Euclid's Postulate 3, 3, 71
 Euclid's Postulate 4, 3, 88
 Euclid's Postulate 5, 3–4, 8–10, 322
 implied by Euclidean parallel postulate, 190
 implies Euclidean parallel postulate, 322
 is independent, 134
 Euclid's segment cutoff theorem, 74
 Euclidean area postulate, 200
 Euclidean geometry, 53, 123, 185
 is categorical, 132, 243
 is consistent, 132
 postulates of, 123, 382
 Euclidean parallel postulate, 38, 185
 implied by Euclid's Postulate 5, 322
 implies Euclid's Postulate 5, 190
 is independent, 133
 Euclidean postulates, 321–333
 Euler line theorem, 276
 even integer, 434
 even parity, 167
 every triangle has two equal sides (fake theorem), 18
 everywhere defined function, 428
 exhaustion, method of, 279
 existence
 and uniqueness, 398, 419
 of parallels, 153
 of two distinct points, 55
 proof of, 417–419
 statement of, 397
 existence postulate, 55
 existential quantifier, 397
 existential statement, 397
 extension of a field, 309
 exterior
 of a circle, 248
 of a polygon, 164, 167
 of an angle, 95
 exterior angle
 formed by a transversal, 150
 of a convex polygon, 192
 of a triangle, 113, 189
 of an asymptotic triangle, 351
 exterior angle inequality, 17, 113
 for asymptotic triangles, 353
 exterior angle sum for a convex polygon, 192
 extreme and mean ratio, 225
 extreme point, 65
 weak, 174

 fake theorem (every triangle has two equal sides), 18
 family (synonym for set), 423
 Fano plane, 28
 Fermat prime, 318
 Fermat, Pierre de, 318
 field, 309
 fifteen-sided polygon, 307
 finite edge of an asymptotic triangle, 351
 five-point plane, 27–29, 39
 fixed point of a rigid motion, 443
 foot of a perpendicular, 143
 for all (universal quantifier), 394
 four-point plane, 27–29, 38
 four right angles theorem, 101
 fourth angle of a Lambert quadrilateral, 342
 fourth vertex of a Lambert quadrilateral, 342
 free variable, 394
 function, 24, 428

 gaps in Euclid's arguments, 13–18
 Garfield, James A., 245
 Gauss, Carl Friedrich, xiii, 10, 318
 general polygonal region, 200
 general triangle inequality, 116
 geometric mean, 236
 constructing, 301
 Gergonne point, 276

- Gergonne, Joseph, 276
 glide reflection, 442, 449
 golden ratio, 224
 constructing, 302
 golden rectangle, 224
 golden triangle, 225, 226
 gravitational lensing, 12
 great circle, 11, 34
 great hyperbola, 37
 greatest lower bound, 435
 gremlin, 409, 412, 417
 group, 373

 half-plane
 closed, 77
 is convex, 80
 open, 77
 Poincaré, 36
 half-rotation, 85
 height
 of a parallelogram, 209
 of a trapezoid, 209
 of a triangle, 208
 height scaling theorem, 226
 heptadecagon, 318
 heptagon, 157, 319
 Heron of Alexandria, 243
 Heron's formula, 243
 hexagon, 157
 constructing, 307
 Hilbert's axioms, 375–376
 Hilbert's betweenness axiom, 61, 375
 Hilbert, David, 20, 375
 hinge theorem, 117
 HL congruence theorem, 121
 horizontal line, 33
 hyperbolic angle-sum theorem, 338
 hyperbolic geometry, 11, 53, 123, 337–367
 is consistent, 133
 is not categorical, 339
 postulates of, 123, 382
 hyperbolic parallel postulate, 38, 337
 hyperboloid model, 37, 41
 hyperboloid, two-sheeted, 37
 hypotenuse, 105
 is the longest side, 116
 hypothesis, 388, 406

 if and only if, 392
 if-then statement, 388
 iff, 392
 implication, 388

 implicit universal quantifier, 397
 implies (logical connective), 388
 incenter, 265
 incidence axioms, 25
 in neutral geometry, 57
 incidence geometry, 24–50
 incidence theorems, 42–50
 incircle, 265
 for a triangle, 268
 incircle theorem, 268
 included angle, 104
 included side, 104
 inconsistent axiomatic system, 32
 independence
 of a statement, 32
 of axioms, 32, 139
 of Euclid's Postulate 5, 134
 of the Euclidean parallel postulate, 133
 of the neutral postulates, 139
 indirect proof, 416
 induction, mathematical, 420–422
 injective function, 56, 429
 inscribed angle in a circle, 257
 inscribed angle theorem, 259
 inscribed arc, 257
 inscribed circle, 265
 constructing, 305
 for a triangle, 268
 inscribed polygon, 262
 is convex, 262
 regular, 272
 integer, 424, 433
 intercepted arc, 257
 interior
 of a circle, 248
 of a convex polygon, 164, 171
 of a polygon, 164, 167
 of a ray, 71
 of a segment, 65
 of a simple polygonal region, 199
 of an angle, 94, 95
 of an arc, 254
 vs. betweenness, 97
 interior angle
 adjacent, 113
 alternate, 150
 formed by a transversal, 149
 of a triangle, 113
 of an asymptotic triangle, 351
 remote, 113
 interior angle measure, 159, 173

- interior lemma, 97
 interpretation of an axiomatic system, 26
 intersecting chords theorem, 261
 intersecting lines
 in incidence geometry, 24
 in plane geometry, 55
 intersecting secants theorem, 261
 intersection of sets, 425
 inward-pointing ray, 172
 irrational number, 434
 irrationality of $\sqrt{2}$, 5
 isomorphic models, 29
 isomorphism between models, 29, 132, 243
 isosceles right triangle, 190, 233
 isosceles triangle, 104
 base, 105
 base angles, 105
 isosceles triangle altitude theorem, 145
 isosceles triangle theorem, 109
 converse, 110
 Pappus's proof, 110
 iterated quadratic extension, 311
- Jordan polygon theorem, 167
 justifications for steps in a proof, 406
- Khayyam, Omar, 9, 10, 341
 kite, 183, 210
 Klein geometry, 373
 Klein, Felix, 35, 373
- Lambert quadrilateral, 341–343
 Lambert, Johann Heinrich, 341
 law of cosines, 240
 law of sines, 241
 least upper bound, 280, 435, 438
 least upper bound property, 280
 leg
 of a right triangle, 105
 of a Saccheri quadrilateral, 341
 Legendre, Adrien-Marie, 326
 lemma, 6, 24
 length
 of a diameter, 248
 of a segment, 64
 of a vector, 125
 of an arc, 293
 let, in mathematical proofs, 411
 lies on
 as a primitive term, 24
 in incidence geometry, 24
 in plane geometry, 55
- line
 as a primitive term, 24, 54
 contains infinitely many points, 57
 Euclid's definition, 2
 in incidence geometry, 24
 in plane geometry, 54
 in single elliptic geometry, 35, 136
 in spherical geometry, 34, 135
 in taxicab geometry, 138
 in the Beltrami–Klein disk, 35
 in the Cartesian plane, 33, 125
 in the Poincaré disk, 35, 132
 in the Poincaré half-plane, 36
 in the rational plane, 136
 is convex, 80
 straight, 2
 line segment, *see* segment
 line-circle theorem, 250
 linear pair, 92
 linear pair theorem, 92
 converse, 93
 linear polynomial, 314
 linear triple, 94, 101
 linear triple theorem, 94
 Lobachevskian geometry, 337
 Lobachevsky, Nikolai, xiii, 10
 logic, laws of, 408
 logical connective, 385
 logical definition, 2
 lower bound, 435
 lowest terms, 438
- major arc, 254
 map, 428
 mapping, 428
 mathematical definition, 401
 mathematical induction, 420–422
 mathematical object, 24, 383, 423
 mathematical relation, 384
 mathematical statement, 383
 mean proportional, 236
 measure
 of an angle, *see* angle measure
 of an arc, *see* arc measure
 median
 of a triangle, 145
 of an isosceles triangle, 145
 median concurrence theorem, 224
 meet
 in incidence geometry, 24
 in plane geometry, 55
 member of a set, 423

- membership criterion for a set, 423
- Menelaus of Alexandria, 221
- Menelaus's theorem, 221
- meridian circle, 35
- method of exhaustion, 279
- method of superposition, 15
- midpoint, 68
 - existence and uniqueness, 69
- midsegment
 - of a Saccheri quadrilateral, 342
 - of a triangle, 196
- midsegment theorem, 196
- minor arc, 254
- model of an axiomatic system, 26
- monic polynomial, 314
- multiple quantifiers, 399
- multiplicative inverse, 434

- n -gon, 157
- n -point plane, 27–29
- necessary condition, 389
- negation, 387
- negative number, 434
- neutral geometry, 53
 - is consistent, 132
 - postulates of, 123, 381
- nine-point circle theorem, 277
- non-Euclidean geometry, 10–13
- nonagon, 157
- noncollinear, 25
- nonconvex polygon, 166–174
- nonexistence statement, 399, 420
- nonnegative, 434
- nonoverlapping regions, 199
- nonpositive, 434
- nonvertical line, 33, 125, 136
- nonzero, 434
- north pole, 35
- not (logical negation), 387

- object, mathematical, 24, 383, 423
- obtuse angle, 88
- obtuse triangle, 105
- octagon, 157
 - constructing, 307
- odd integer, 434
- odd parity, 167
- one-dimensional quantity, 226
- one-point geometry, 30, 135
- one-to-one correspondence, 429
- one-to-one function, 429
- one-two geometry, 31

- onto, 429
- open half-plane, 77
- open interval, 434
- open sentence, 394
- opposite angle
 - of a quadrilateral, 175
 - of a triangle, 104
- opposite ray theorem, 75
- opposite rays, 74, 75
- opposite side
 - of a line, 76
 - of a quadrilateral, 175
 - of a triangle, 104
- opposite vertices of a quadrilateral, 175
- or (logical disjunction), 386
- ordered n -tuple, 426
- ordered pair, 426
 - equality of, 426
- ordering lemma
 - for points, 73
 - for rays, 98
- origin in the Cartesian plane, 124
- orthocenter, 269
- outward-pointing ray, 172
- overlapping regions, 199

- π , definition of, 289
- \mathcal{P} -side of an edge line, 158
- pair, ordered, 426
- Pappus of Alexandria, 110
- parallel lines
 - are equidistant, 187
 - constructing, 300
 - existence of, 153
 - in incidence geometry, 25
 - in plane geometry, 55, 149–154
- parallel postulate
 - elliptic, 38
 - Euclidean, 38, 185
 - hyperbolic, 38, 337
 - in single elliptic geometry, 41
 - in spherical geometry, 41
 - in the Beltrami–Klein disk, 41
 - in the Cartesian plane, 40
 - in the hyperboloid model, 41
 - in the Poincaré disk, 41
 - in the Poincaré half-plane, 41
 - independence, in incidence geometry, 39
 - independence, in neutral geometry, 133
- parallel projection theorem, 220
- parallelism, transitivity of, 188, 323
- parallelogram, 175, 194

- area of, 209
- congruent opposite angles, 180, 194
- congruent opposite sides, 181, 194
- diagonals bisect each other, 182, 194
- is convex, 177
- properties, 194
- parallelogram decomposition lemma, 203
- parallelogram lemma, 178
- parity
 - of a point, 167
 - of a ray, 167
- Pascal's mystic hexagon, 277
- Pasch's axiom, 105
- Pasch's theorem, 105
 - for asymptotic triangles, 353
- Pasch, Moritz, 105
- passing point, 65
 - strong, 174
- path, polygonal, 167
- pentagon, 157
 - constructing, 306
- perimeter of a polygon, 226
- perimeter scaling theorem, 226
- perpendicular bisector, 145
 - constructing, 299
- perpendicular bisector concurrence theorem, 264
- perpendicular bisector theorem, 145
 - converse, 146
- perpendicular lines, 101, 141
 - constructing, 101, 299, 300
 - dropping, 142, 300
 - Euclid's definition, 2
- perpendicular rays, 141
- perpendicular segments, 141
- π , definition of, 289
- pizza lemma, 202
- plane geometry, 53
- plane separation postulate, 76
- plane, the, 55
- Playfair's postulate, 10, 323
- Playfair, John, 10
- Poincaré disk, 35–36, 41, 132–135
 - is a model of hyperbolic geometry, 133
 - is a model of incidence geometry, 36
 - is a model of neutral geometry, 133
- Poincaré half-plane, 36, 41
 - is a model of incidence geometry, 36
- point
 - as a primitive term, 24, 54
 - Euclid's definition, 2
 - in incidence geometry, 24
 - in plane geometry, 54
 - in single elliptic geometry, 35, 136
 - in spherical geometry, 34, 135
 - in taxicab geometry, 138
 - in the Beltrami–Klein disk, 36
 - in the Cartesian plane, 33, 125
 - in the Poincaré disk, 35, 132
 - in the Poincaré half-plane, 36
 - in the rational plane, 136
- point of tangency, 249
- polygon, 155
 - area of, 200
 - concave, 158
 - convex, 157–166, 173
 - interior of, 164, 171
 - nonconvex, 166–174
 - regular, 159, 271–273
- polygon splitting theorem, 163
- polygonal path, 167
- polygonal region, 200
 - general, 200
 - simple, 199
- polynomial, 314
- positive number, 434
- postulate, 13, 23
 - angle measure, 85
 - area, 209
 - distance, 56
 - elliptic parallel, 38
 - Euclidean area, 200
 - Euclidean parallel, 38, 185
 - existence, 55
 - hyperbolic parallel, 38, 337
 - of Euclid, 3
 - of Euclidean geometry, 123, 382
 - of hyperbolic geometry, 123, 382
 - of incidence geometry, 25
 - of neutral geometry, 123, 381
 - plane separation, 76
 - protractor, 85
 - reflection, 443
 - ruler, 57
 - SAS, 108
 - set, 55
 - unique line, 56
- predicate, 394
- premise of a rule of inference, 408
- prime number, 434
- primitive term, 23, 54
- Proclus, 6, 9, 186

- Proclus's lemma, 186
 Proclus's postulate, 323
 product, Cartesian, 426
 projection of a leg, 236
 proof, 405
 - by cases, 414
 - by contradiction, 416
 - by contrapositive, 411
 - by induction, 420
 - constructive, 417
 - direct, 410
 - indirect, 416
 - justifications in, 406–410
 - of existence, 417, 418
 - of existence and uniqueness, 419
 - stages of writing, 42
 - structure of, 405
 - templates for, 405–422
 proper angle, 84
 proper subset, 424
 proper superset, 424
 proportion, 213
 proportion theorem
 - angle bisector, 219
 - right triangle, 237
 - triangle area, 209
 proportional, 213
 proposition, 6, 24
 protractor postulate, 85
 Pythagorean identity, 240
 Pythagorean postulate, 335
 Pythagorean theorem, 229–233, 237
 - converse, 233
 - Euclid's first proof, 230
 - Euclid's second proof, 237
 - Garfield's proof, 245
 - proof by decomposition, 232
 - proof by similar triangles, 237
 q.e.d. (*quod erat demonstrandum*), 7
 q.e.f. (*quod erat faciendum*), 7
 quadratic extension of a field, 310
 - iterated, 311
 quadratic polynomial, 314
 quadrilateral, 156, 175
 - area scaling theorem, 226
 - convex, 175–183
 - copying theorem, 179
 - cyclic, 264
 - tangential, 269
 quantifier, 394
 - existential, 397
 - multiple, 399
 - negating, 399
 - universal, 394, 395*quod erat demonstrandum*, 7
quod erat faciendum, 7
 radii, *see* radius
 radius, 70, 247
 range of a function, 428
 rating system for proofs, 54
 ratio, 213
 rational number, 434
 rational plane, 136
 ray, 71
 - collinear, 74
 - coordinate representation of, 72
 - is convex, 81
 - lying in the interior of an angle, 95
 - lying on a side of a line, 78, 149
 - opposite, 74, 75
 - with the same endpoint, 74
 real number, 53, 424, 433–439
 reciprocal, 434
 rectangle, 175, 194, 195
 - area of, 207
 - construction theorem, 195, 300
 - golden, 224
 - is a parallelogram, 175
 - is convex, 177
 - nonexistent in hyperbolic geometry, 337
 rectangular region, 199
 reflection across a line, 146, 442, 443
 reflection postulate, 443
 reflex angle, 88
 reflex measure of an angle, 87
 reflexive property of congruence
 - of angles, 90
 - of segments, 66
 reflexive property of equality, 393
 region
 - circular, 290
 - determined by a polygon, 164, 199
 - polygonal, 199, 200
 regular heptagon, 308
 regular polygon, 159, 271, 272
 - angle measures of, 192
 - center of, 271
 - central angle of, 271
 - circumscribed, 273
 - constructing, 317–319
 - fifteen-sided, 307
 - inscribed in a circle, 272

- is cyclic and tangential, 271
- regular quadrilateral, 182, 183, 194
- relation, mathematical, 24, 384
- relative consistency, 32
- remote interior angle
 - in a triangle, 113
 - in an asymptotic triangle, 351
- rhombus, 175, 182
 - is a parallelogram, 182
- Riemann, Bernhard, 11
- Riemannian geometry, 11
- right angle
 - Euclid's definition, 2
 - in plane geometry, 88, 92
 - in the Cartesian plane, 126
- right triangle, 105, 229–243
 - area of, 207
 - hypotenuse, 105
 - isosceles, 233
 - leg, 105
 - proportion theorem, 237
 - similarity theorem, 236
- rigid motion, 441
- root of a polynomial, 314
- rotation, 442, 449
- rule of inference, 408
- ruler flipping lemma, 58
- ruler placement theorem, 58
- ruler postulate, 57
 - SMSG, 21, 379
- ruler sliding lemma, 58

- SA congruence theorem, 351
- SA inequality for asymptotic triangles, 353
- SAAAS congruence, 197
- SASS congruence, 197
- Saccheri quadrilateral, 340, 342, 343
- Saccheri's repugnant theorem, 365
- Saccheri, Giovanni, 9, 10, 326, 341, 367
- Saccheri–Legendre theorem, 327
 - for convex polygons, 330
- SAS congruence theorem of Euclid, 107
- SAS postulate, 108
- SAS similarity postulate, 335
- SAS similarity theorem, 218
- SASAS congruence, 179
- SASSS congruence, 197
- scale factor, 214
- scalene inequality, 115
 - for quadrilaterals, 342
- scalene triangle, 104
- scaling theorem
 - circumference, 288
 - diagonal, 226
 - height, 226
 - perimeter, 226
 - quadrilateral area, 226
 - triangle area, 226
- School Mathematics Study Group, 21, 379
- secant line, 249
- sector of a circle, 294
 - area of, 294
- segment, 64
 - contains infinitely many points, 70
 - coordinate representation of, 67
 - is convex, 80
 - lying on a side of a line, 149
- segment addition theorem, 66
- segment construction theorem, 74
- segment cutoff theorem, Euclid's, 74
- segment extension theorem, 65
- segment subtraction theorem, 66
- semicircle, 254
- semiparallel criterion for convexity, 161
 - of quadrilaterals, 176
- semiparallel segments, 160
- semiperimeter, 243
- set, 423
 - defined by a list, 424
 - defined by specification, 424
 - membership criterion, 423
- set-builder notation, 425
- set difference, 425
- set equality, 424
- set postulate, 55
- set theory, 423–431
- setting out (in Greek proofs), 6
- side
 - included between two angles, 104
 - of a line, 76
 - of a polygon, 156
 - of a triangle, 103
 - of an angle, 83
 - opposite an angle, 104
- side-angle-side congruence theorem of Euclid, 107
- side-angle-side postulate, 108
- side-side-side congruence theorem, 107
- side-splitter theorem, 215
 - converse, 219
- similar polygons, 213
- similar triangle construction theorem, 217
- similarity theorem

- AA, 216
 - right triangle, 236
 - SAS, 218
 - SSS, 218
- similarity, transitive property of, 214
- simple polygonal region, 199
- simple statement, 384
- sine, 238
- sines, law of, 241
- single elliptic geometry, 35, 41, 136
- singleton, 424
- slope of a line, 33
- small angle lemma, 325
- SMSG (School Mathematics Study Group), 21, 379
- SMSG postulates, 379–380
- south pole, 35
- specification
 - in Greek proofs, 7
 - to define a set, 424
- spherical geometry, 34, 41, 135
- spherical trigonometry, 371
- square, 175, 194
 - area of, 206
 - constructing, 196, 300, 305
 - diagonal of, 234
- square geometry, 31
- square of a number, 434
- square region, 199
- square root, 435, 438
- square root of 2 is irrational, 5
- squaring
 - a circle, 308, 317
 - a figure, 304
 - a polygon, 304
 - a rectangle, 304
- SSS congruence theorem, 107, 111
- SSS construction theorem, 235
- SSS existence theorem, 234
- SSS similarity theorem, 218
- standard measure of an angle, 87
- starting point of a ray, 71
- statement
 - atomic, 384
 - compound, 385
 - existential, 397
 - mathematical, 383
 - simple, 384
 - universal, 394
- straight angle, 84
- straight line, 2
 - straightedge, 3, 295, 296
 - strong passing point, 174
 - subfield, 309
 - subpolygons cut off by a chord, 162
 - subset, 424
 - substitution property of equality, 393
 - such that
 - in existence statements, 397
 - in logical conjunctions, 385
 - sufficient condition, 389
 - sum formula
 - for cosine, 241
 - for sine, 241
 - summit angles, 341
 - summit of a Saccheri quadrilateral, 341
 - superposition, method of, 15
 - superset, 424
 - supplementary angles, 91
 - supremum, 280
 - surjective function, 56, 429
 - symmetric property of equality, 393
 - symmetry, 372
 - of a Klein geometry, 373
 - of asymptotic rays, 347
 - of betweenness of points, 60
 - of betweenness of rays, 89
 - of equidistant lines, 188
 - symmetry group, 373
- tangent circles, 253
- tangent circles theorem, 254
- tangent line, 249
 - existence and uniqueness, 252, 258
 - exterior to circle, 252
 - properties of, 252
- tangent line theorem, 251
- tangent segment to a circle, 265
- tangential polygon, 265, 268
 - is convex, 266
- tangential quadrilateral, 269, 276
- tangential triangle theorem, 268
- taxicab distance, 138
- taxicab geometry, 138
- Thales of Miletus, 257
- Thales' postulate, 335
- Thales' theorem, 257
 - converse, 258
- theorem, 6, 23, 405
 - in an axiomatic system, 23
 - in Euclid's *Elements*, 6
- there exists (existential quantifier), 397
- three-point line, 31

- three-point plane, 26, 38, 135
- three-ring geometry, 31
- three-two geometry, 51
- transcendental number, 317
- transformation, 108, 441
- transitive property of asymptotic rays, 349
- transitive property of congruence
 - of angles, 90
 - of segments, 66
 - of triangles, 107
- transitive property of equality, 393
- transitive property of similarity, 214
- transitivity of parallelism, 188
- transitivity postulate, 323
- translation, 442, 449
- transversal
 - for a triangle, 221
 - for two lines, 149
- trapezoid, 175
 - area of, 209
 - is convex, 177
- trapezoid lemma, 178
- triangle, 103
 - acute, 105
 - area of, 207, 208
 - constructing, 307
 - equiangular, 105
 - equilateral, 104
 - is convex, 160
 - is cyclic, 263
 - is tangential, 268
 - isosceles, 104
 - obtuse, 105
 - right, 105
 - scalene, 104
- triangle area proportion theorem, 209
- triangle area scaling theorem, 226
- triangle copying theorem, 111
- triangle inequality, 116
 - for real numbers, 437
 - general, 116
- triangle sliding theorem, 208
- triangular region, 199
- trichotomy law, 437
- trigonometry, 238
- triple angle formula
 - for cosine, 243
 - for sine, 243
- trisecting an angle, 307, 313–316
- truth table, 385
- two circles theorem, 252
- two-column proof, 405
- two-dimensional quantity, 226
- two-point equidistance theorem, 152
- two-point formula for a line, 34
- two-sheeted hyperboloid, 37
- two transversals theorem, 218
- ultraparallel lines, 355, 360
 - admit a common perpendicular, 360
 - distance between, 364
- ultraparallel theorem, 360
- union, 425
- unique line postulate, 56
- unique point theorem, 74
- unique ray theorem, 89
- unique triangle theorem, 111
- uniquely defined function, 428
- uniqueness, 398
 - of common perpendicular, 359
 - proof of, 419
- unit circle, 289
- universal implication, 412
 - proof of, 412
- universal quantifier, 394, 395
 - implicit, 397
- universal statement, 394
- upper bound, 280, 435
 - least, 280
- vacuously true statement, 396
- value of a function, 428
- variable, 394
 - free, 394
- Varignon's theorem, 197
- vector, 124
 - components, 124
 - difference, 125
 - displacement, 124
 - sum, 125
- vertex
 - of a polygon, 156
 - of a triangle, 103
 - of an angle, 83
 - of an asymptotic triangle, 351
- vertex criterion for convexity, 160
- vertical angles, 93
- vertical angles theorem, 93
 - converse, 94
- vertical line, 33, 125, 136
- vertices, *see* vertex
- Wallis's postulate, 324

-
- Wallis, John, 324
 - Wantzel, Pierre, 316, 319
 - weak angle-sum postulate, 333
 - weak extreme point, 174
 - well defined, 428
 - well-ordering principle, 438
 - whole is greater than the part
 - angle, 90
 - converse, 73, 97
 - in Euclid's *Elements*, 4
 - segment, 66
 - X-lemma, 79
 - Y-lemma, 78
 - zero angle, 84