

## INDEX OF SUBJECTS

*Abstracts are indicated by (abstract) following the entry; correspondence is indicated by (corr).*

*Page numbers beginning with S denote articles in April supplement.*

### A

ABO blood group incompatibility, following granulocyte transfusions (abstract), 487

**Abstracts of Papers**, 467–490

Acetoacetate, interference of, in assay evaluation of  $\beta$ -Hydroxybutyrate in patients with diabetic ketoacidosis, 353–358

Acquired immunodeficiency syndrome (AIDS). *See* Human immunodeficiency virus (HIV)

Activated partial thromboplastin time (aPTT)

effect of sodium citrate on, 105–110

effect of sodium citrate on (abstract), 486

performance of, on first tube of venous blood, 681–683

warfarin-induced elevation of (abstract), 486

Activated protein C resistance, clinical application of new specific functional assay in detecting  $V_{Leiden}$  mutation associated with, 521–526, 711–715 (corr)

Acute ischemic heart disease, cardiac profile and proposed practice guideline for, 398–409

Acute lymphoblastic leukemia, cerebrospinal fluid involvement in childhood B-lineage, 608–616

Acute monocytic leukemia, cutaneous involvement in, 637–642

Acute myelogenous leukemia

aberrant expression of CD19 as marker of monocytic lineage in, 283–291

cutaneous involvement in, 637–642

expression of neural cell adhesion molecule (CD56) in, 653–660

requiring morphologic assessment of blast percentage (abstract), 484

Acute myeloid leukemia

antibodies for classification of, in bone marrow trephine biopsy specimens, 410–418

association with myelodysplasia, basophilia, and initial CD34 negative immunophenotype, 430–437

Acute myocardial infarction

cardiac troponin I and myoglobin in diagnosis of (abstract), 473

diagnostic evaluation of (abstract), 472

new panel of cardiac markers with high sensitivity and high negative predictive value for diagnosis of

(abstract), 468

Adenocarcinoma

anticytokeratin antibody 34 $\beta$ E12 stain in distinguishing benign lesions from, in prostate, 219–223

immunohistochemical detection of transforming growth factor- $\alpha$  in endocervix (abstract), 479–480

immunohistochemical identification of tumor markers in, 12–19

Adenocarcinoma in situ, sensitivity of cervical smears, 30–35

Administrative reengineering of clinical laboratories, 385–386

Adult respiratory distress syndrome, clinicopathologic study of, in human immunodeficiency virus-infected patients (abstract), 471

Adult T-cell leukemia, effect of *Strongyloides stercoralis* infection and eosinophilia on age at onset and prognosis of, 81–87

Aerobic wound cultures, enrichment broths in (abstract), 488

Age of patient as factor in prostate cancer, 265–267, 337–344

Agglutination immunoassay in urine analysis for benzodiazepines, 345–352

Alcohol consumption and leukocyte counts, 64–67

Alpha<sub>1</sub>-antitrypsin phenotype, relationship of hepatocytic globules to, 692–697

Analytical sensitivity, difference between detection limit and (corr), 619–620

Anatomic pathology, results of surveys pertaining to graduated responsibility for residents in, 630–631, 632–636

Anemia

aplastic, distinguishing from hypoplastic myelodysplastic syndromes by CD34 and PCNA immunostaining of bone marrow biopsy specimens, 268–274

megaloblastic, immunophenotypic characteristics of bone marrow in (abstract), 483

Angiomyofibrolastoma

genital, 36–44

vulval, 45–51

Angioplasty, atherosclerosis after laser therapy and (abstract), 481

Antibodies

celiac sprue-related serum, histologic features of duodenal biopsies that correlate with presence of (abstract), 473

characterization and epitope determination of

- antiprothrombin, 197–205  
 for classification of acute leukemia by immuno-  
 histochemical methods in bone marrow trephine  
 biopsy specimens, 410–418  
 complement-fixing, detection of, to *Coccidioides immitis*,  
 148–153  
 detection of, to *Coccidioides immitis* by enzyme  
 immunoassay, 148–153  
 heparin-associated platelet, utility of repeat testing for  
 presence of, with initially indeterminate studies  
 by platelet aggregometry (abstract), 485–486  
 monoclonal, in establishing lineage of acute leukemia,  
 283–291  
 red cell, identification of (abstract), 486–487  
 tube precipitin, detection of, to *Coccidioides immitis*,  
 148–153
- Anticoagulants, effect of, on coagulation testing, 105–110  
 Anticoagulation intensity, prothrombin-proconvertin time  
 as indicator of, during anticoagulation, 672–680  
 Anticytokeratin antibody 34 $\beta$ e12 staining in prostate  
 carcinoma, 219–223  
 Antigen retrieval techniques in immunohistochemistry,  
 139–140  
 Antimicrobial susceptibility testing, clinical relevance and  
 cost-effectiveness of, 154–167  
 Antiprothrombin antibody, characterization and epitope  
 determination of, 197–205  
 Aplastic anemia, distinguishing from hypoplastic  
 myelodysplastic syndromes by CD34 and PCNA  
 immunostaining of bone marrow biopsy  
 specimens, 268–274  
 Apoptosis in situ DNA fragmentation assay for detection  
 of, in paraffin-embedded tissue sections, 332–336  
 ASCP-Resident Physician Section (RPS) surveys pertaining  
 to graduated responsibility for residents in anatomic  
 pathology, 630–631, 632–636  
 Asian-Americans, frequency of deletional  $\alpha$ -thalassemia  
 genotypes in, 576–581  
 Assay evaluation,  $\beta$ -Hydroxybutyrate in patients with  
 diabetic ketoacidosis, 353–358  
 Astrocytic tumors, combined determination of proliferative  
 activity and cell density in prognosis of adult patients  
 with supratentorial high-grade, 321–331  
 Atherosclerosis  
 after angioplasty and laser therapy (abstract), 481  
 histologic evaluation of accelerated, in failed hepatic  
 allografts (abstract), 476  
 Atypical glandular cells of undetermined significance  
 (AGUS), importance of Bethesda system diagnostic  
 category of, 299–307  
 Autologous transfusion, practical aspects of preoperative,  
 S28–35
- Automated cytoscreening, costs of, 445–450  
 Automated differential white blood cell (WBC) count as  
 indicator for inflammatory and infective disease,  
 582–591  
 Automated immunoperoxidase technique in breast  
 carcinomas, 534–541  
 Autopsy cultures, clinical relevance and cost-effectiveness  
 of, 154–167  
 Autopsy in situ DNA fragmentation assay for detection of  
 apoptosis in paraffin-embedded tissue sections, 332–336  
 Autopsy pathology, resident autonomy in, 630–631,  
 632–636
- B**
- BacT/Alert blood culture system (corr), 376–378  
 Bacterial antigen detection, clinical relevance and cost-  
 effectiveness of, 154–167  
 Bartholin's gland cysts, 45–51  
 Basophilia, association with acute myeloid leukemia,  
 430–437  
 Batch-counting method in assessing efficiency of leukore-  
 duction of cellular blood components, 111–113  
 BC3H-1 myocytes, Hoechst 33342 in inducing apoptosis in  
 (abstract), 489  
 B-cell chronic lymphocytic leukemia  
 aberrant antigen expression on, in lymph nodes  
 (abstract), 484–485  
 isolated 13q14 abnormalities and normal karyotypes in,  
 275–282  
 B-cell clonality, comparison of, in paraffin-embedded  
 tissues of high-grade and low-grade lymphomas  
 (abstract), 467–468  
 BCG therapy, granulomatous prostatitis following  
 (abstract), 477  
 Benzodiazepines, comparison of assay methods for, in  
 urine, 345–352  
 Bethesda system cervical-vaginal diagnosis of atypical  
 glandular cells of undetermined significance (AGUS),  
 299–307  
 Biochemical markers in developing cardiac profile and  
 proposed practice guideline for acute ischemic heart  
 disease, 398–409  
 Biopsy  
 bone marrow  
 antibodies for classification of acute leukemia by  
 immunohistochemical methods in specimens,  
 410–418  
 distinguishing between hypoplastic myelodys-  
 plastic syndromes and aplastic anemia by  
 CD34 and PCNA, 268–274

- core needle  
adequate tissue sampling of prostate, 26–29  
evaluation of cultures of percutaneous specimens  
in diagnosis of pulmonary nodules, 224–228
- duodenal, histologic features of, that correlate with  
presence of celiac sprue-related serum antibodies  
(abstract), 473
- fine-needle aspiration  
and cytologic findings in thyroid nodules after <sup>131</sup>I  
treatment of hyperthyroidism, 20–25  
of peripheral lymph nodes in patients with  
tuberculosis and human immuno-deficiency  
virus, 317–320
- needle, p53 as an independent prognostic indicator of  
prostatic adenocarcinoma in (abstract), 477–478
- prostatic core, histologic features of transitional cell  
/carcinoma in (abstract), 477
- Bladder outlet obstructor, effects of, on urinary cytology  
(abstract), 476
- Blast cell colonies, identification of, in 21-day-old cord  
blood stored under blood bank conditions (abstract),  
487
- Blast percentage, morphologic assessment of, in acute  
myelogenous leukemia and myelodysplastic  
syndromes (abstract), 484
- B-lineage leukemias, detection of lymphocyte clonality  
using polymerase chain reaction primer panel  
(abstract), 483–484
- Blood, evaluation of new protamine titration method in  
assaying heparin in whole, 511–520
- Blood components. *See also* Plasma; Red blood cells;  
White blood cells  
assessing efficiency of leukoreduction of cellular,  
111–113  
irradiated (corr), 251–254
- Blood cultures  
BacT/Alert and Isolator systems of (corr), 376–378  
clinical relevance and cost-effectiveness of, 154–167
- Blood transfusions  
ABO blood group incompatibility following  
granulocyte (abstract), 487  
autologous donation in elective hysterectomy  
(abstract), 487–488  
computerized hospital information systems in  
improving, S50–S56  
practical approaches to improving laboratory  
performance and safety, S43–S49  
practical aspects of home, S64–S71  
practical aspects of preoperative autologous, S28–S35  
practical issues for out-of-hospital, S64–S71  
practical issues for preoperative autologous, S28–S35  
practical issues for self-assessment of, S17–S22  
practical issues in improving safety in, S12–S16  
practical issues in informed consent for, S72–S74  
practical issues in neonatal, S57–S63  
practical issues when confronting patient who refuses,  
S23–S27  
risks and other adverse effects associated with,  
S2–S11  
tools for improving quality in, S36–S42
- Bone marrow  
antigenic phenotype of, leukemic blasts in, 608–616  
immunophenotypic characteristics of, in megaloblastic  
anemia (abstract), 483
- Bone marrow biopsy  
antibodies for classification of acute leukemia by  
immunohistochemical methods in specimens, 410–418  
distinguishing between hypoplastic myelodysplastic  
syndromes and aplastic anemia by CD34 and  
PCNA, 268–274
- Bone marrow transplantation  
amplified variable number of tandem repeats in  
detection of chimerism following, 292–298  
posttransplantation lymphoproliferative disorders in  
recipients, 419–429  
recurrent Hodgkin's disease after, 74–80
- Book Reviews**  
*Atlas of Endometrial Histopathology*, 710  
*Atlas of Tumor Pathology* (Ellis and Auclair), 131  
*Clinical Practices of Transfusion Medicine*, 617  
*Cytotest CD: A Practice Examination in Cytopathology*,  
491–492  
*Fine Needle Aspiration Biopsy of the Head and Neck*  
(Powers and Frable), 617–618  
*Handbook of Clinical Automation, Robotics and  
Optimization* (Kost), 375  
*Path-Cyclopedia*, 491  
*Pathology of Lymph Nodes*, 709  
*Pathology of the Skin With Clinical Correlations* (McKee),  
249–250
- Borrelia burgdorferi*, laboratory confirmation of, 142–147
- Branched DNA (bDNA) in detection of hepatitis C virus,  
362–367
- Branched nucleotide, assays in detection of hepatitis C  
virus, 362–367
- Breast carcinomas  
CD31 and PECAM automated and quantitative  
immunocytochemical assays in, 534–541  
chromosomal aneuploidy detected by fluorescence  
in situ hybridization in situ (abstract), 479  
correlation of C-*erb* B<sub>2</sub> gene amplification and  
chromosomal aneuploidy in (abstract), 479  
effects of chemotherapy on pathologic and biologic  
characteristics of locally advanced, 211–218

- malignant hematopoietic, 177–186  
 p21 (Waf1/Cip1) and p53 protein expression in, 684–691  
 in small ectatic ducts of, by ductal carcinoma in situ cells with apocrine snouts, 561–566  
 telomerase expression in human, with and without lymph node metastases, 542–547
- Breast implants, determination of silicon in breast and capsular tissue from patients with, 236–246
- Bronchi, mucosa-associated lymphoproliferative lesions of, in children, 592–600
- Buffered formalin, effects of, on immunohistochemical staining patterns, 219–223
- C**
- Capillary isoelective focusing in measuring hemoglobin variants, 88–91
- Cardiac profile, development of, for acute ischemic heart disease, 398–409
- Cardiac troponin I, in diagnosis of acute myocardial infarction (abstract), 473
- Carson-Millonig fixative, effects of, on immunohistochemical staining patterns, 219–223
- CD16 antigen density on neutrophils in chronic myeloproliferative disorders, 661–664
- CD19, aberrant expression of, as marker of monocytic lineage in acute myelogenous leukemia, 283–291
- CD31 immunocytochemical assays, prognostic significance of, 534–541
- CD34  
 association with acute myeloid leukemia, 430–437  
 in distinguishing between hypoplastic myelodysplastic syndromes and aplastic anemia in bone marrow biopsy specimens, 268–274  
 staining for, in mammary myofibroblastoma with leiomyomatous differentiation, 52–55
- CD44 in urologic malignancies, 56–63
- CD56, expression of, in positive acute myelogenous leukemia and myelodysplastic and myeloproliferative syndromes, 653–660
- CD68 in immunohistochemical classification of, in acute leukemias, 410–418
- Celiac sprue-related serum antibodies, histologic features of duodenal biopsies that correlate with presence of (abstract), 473
- Cell density, combined determination of, and proliferative activity in prognosis of adult patients with supratentorial high-grade astrocytic tumors, 321–331
- Cell hemoglobin distribution width in distinguishing between thalassemia traits and other nonthalassemic conditions, 601–607
- Cell loss, assessment of, in supratentorial high-grade astrocytic tumors, 321–331
- Cell proliferation, expression of Ki-67 antigen in, for renal cell carcinomas, 229–235
- Cellular adhesion molecules in urologic malignancies, 56–63
- Central nervous system  
 Graft-Vs-Host disease in (corr), 379  
 pathologic findings in geriatric patients (abstract), 469
- C-erb* B2 gene amplification, correlation of, and chromosomal aneuploidy in ductal carcinoma of breast (abstract), 479
- Cerebrospinal fluid (CSF)  
 association of immunophenotype with, in childhood B-lineage acute lymphoblastic leukemia, 608–616  
 clinical relevance and cost-effectiveness of, 154–167
- Cervical cytology, cost of production in, 445–450
- Cervical-vaginal smear, diagnostic accuracy and inter-observer variability with, 299–307
- Cervicovaginal smear, sensitivity of, for adenocarcinoma in situ of cervix, 30–35
- Cervix, Papanicolaou smear sensitivity for adenocarcinoma in situ of, 30–35
- Chemotherapy, effects of, on pathologic and biologic characteristics of locally advanced breast cancer, 211–218
- Chimerism, use of variable number of tandem repeats in detection of, following bone marrow transplantation, 292–298
- Chromogenic APC-resistance assay, clinical use of, in detecting  $V_{Leiden}$  mutation associated with activated protein C resistance, 521–526, 713–714 (corr)
- Chromosomal aneuploidy  
 correlation of *C-erb* B2 gene amplification and, in ductal carcinoma of breast (abstract), 479  
 detected by fluorescence in situ hybridization in in situ ductal carcinoma of breast (abstract), 479
- Chromosome 3p, loss of heterozygosity of allelic markers on, 459–466
- Chronic hepatitis C, bile duct damage, steatosis, and lymphoid aggregates as predictors of disease activity in (abstract), 475
- Chronic myelogenous leukemia, T-cell blast crisis in, 168–176
- Chronic myeloproliferative disorders, CD16 antigen density on neutrophils in, 661–664
- Cip1 in breast cancer, 684–691
- Cirrhosis and development of hepatocellular carcinoma (corr), 251
- Citrate buffer-based methods in immunohistochemistry, 139–140
- Clinical laboratories, administrative reengineering of, 385–386

- Clinical microbiologic testing, principles in cost-effective, clinically relevant, 154–167
- Cloned enzyme donor immunoassay (CEDIA) in urine analysis for benzodiazepines, 345–352
- Coagulation factor Hc and correlation with prothrombin-proconvertin time international normalized ratio, 672–680
- Coagulation factor levels, changes of, during different conditions of cryopreservation (abstract), 487
- Coagulation tests  
effect of 3.2% versus 3.8% sodium citrate concentration on routine, 105–110  
prothrombin time and activated partial thromboplastin time, 681–683
- Coccidioides immitis*, detection of antibodies to, by enzyme immunoassay, 148–153
- Colloids, beliefs of Jehovah's Witnesses on, S23–S27
- Colon, histology of mucosa in diverticular disease in sigmoid, 438–444
- Colon cancer, K-ras mutations in peripheral blood DNA of patients with (abstract), 474
- Competitive reverse transcriptase-polymerase chain reaction assay, use of, to quantify human multidrug resistance 1 gene expression in hematologic malignancies (abstract), 485
- Complement-fixing (CF) antibodies, detection of, to *Coccidioides immitis*, 148–153
- Complete blood cell count in evaluation of acute febrile illness in pediatric emergency room patients, 114–121
- Computer assisted, image analysis of vascularity (corr), 132–133
- Computerized hospital information systems in improving blood transfusion, S50–S56
- Continuous quality improvement, success of Pittsburgh Reference Laboratory Alliance in, 387–394
- Core needle biopsy  
adequate tissue sampling of prostate, 26–29  
evaluation of cultures of percutaneous specimens in diagnosis of pulmonary nodules, 224–228
- Correspondence and Corrections**  
Alternative to the Conventional Autopsy, S83  
Autopsy as Surgical Specimen, S83–S84  
BacT/Alert and Isolator Blood Culture Systems, 376–378  
Case for Selective Postmortem Analysis, S82–S83  
Computer-Assisted Image Analysis of Vascularity, 132–133  
Development of Hepatocellular Carcinoma in Cirrhotic and Noncirrhotic Livers, The, 251  
Difference Between Analytical Sensitivity and Detection Limit, 619–620  
Frozen Sections and Breast Biopsies, 493  
Graft-Vs-Host Disease in Central Nervous System, 379  
Irradiated Blood Components, 251–254  
Minimum Number of Lymph Nodes To Be Recovered From Colorectal Resection Specimens, 494–495  
Posthumous Analysis in Italy, S83  
Prothrombin Time: One Tube or Two, 133  
Screening Sputum Specimens for Neutrophils, 378  
Telecytology Using Preselected Fields of View: The Future of Cytodiagnosis or a Dead End?, 620–621  
Value of Posthumous Analysis, S82  
Value of the MCV Index in the Diagnosis of Thalassemic and Nonthalassemic Microcytosis, 619
- C-reactive protein (CRP) as quantitative parameter of inflammatory and infective disease, 582–591
- Creatine kinase  
in cardiac profile, 398–409  
heterophilic antibodies in producing spuriously elevated concentration of MB isoenzyme of, 506–510  
increases serum concentration of MB isoenzyme of, 506–510
- Crossmatch, pretransfusion testing without (abstract), 486
- Cryopreservation, changes of coagulation factor levels during different conditions of cryopreservation (abstract), 487
- Crystalloids, beliefs of Jehovah's Witnesses on, S23–S27
- Cutaneous eruptions in leukemic vasculitis, 627–629, 637–642
- Cytogenic analysis of Wilms' tumors (abstract), 476
- Cytology  
cervical, cost of production in, 445–450  
diagnostic accuracy and interobserver variability using select criteria, 299–307  
effusion, after extrapleural pneumonectomy for treatment of malignant mesothelioma, 206–210  
in evaluation of acute myeloid leukemia, 68–73  
findings in thyroid nodules after <sup>131</sup>I treatment of hyperthyroidism, 20–25  
flow  
in assessing association of myelodysplasia, basophilia, and initial CD34 with myeloid leukemia, 430–437  
in immunophenotyping of leukemias, 68–73  
gynecologic, cost of production in, 445–450  
Papanicolaou smear sensitivity for adenocarcinoma in situ of cervix, 30–35  
urinary, effects of bladder outlet obstruction on (abstract), 476
- Cytomegalovirus  
incidence of, in hepatic parenchyma (abstract), 475–476  
leukocyte reduction in preventing, S57–S63
- Cytopathology, resident autonomy in, 630–631, 632–636

Cytopenias, correlation of unexplained, in myelodysplastic syndrome, 261–264

Cytoreparatory methods, effect of, in immunocytochemistry of serous fluids (abstract), 482–483

## D

Dedicated transfusion systems, S13

Derived optical fibrinogen, interchangeability of, with other assays, 527–533

Desmin, staining for, in mammary myofibroblastoma with leiomyomatous differentiation, 52–55

Detection limit, difference between analytical sensitivity and (corr), 619–620

Diabetic ketoacidosis, laboratory and clinical evaluation of assays for  $\beta$ -Hydroxybutyrate in patients with, 353–358

Diagnostic pathology, potential of telepathology in (corr), 620–621

Differentiation antigens in malignant effusions processed as cell blocks and thin-preps (abstract), 480

Disposables as sources of preanalytical contamination and misdiagnosis, 395–397

Diverticular disease, histology of mucosa in sigmoid colon specimens with, 438–444

## DNA

branched, in detection of hepatitis C virus, 362–367

image analysis of tissue sections in gestational trophoblastic disease (abstract), 480

origination of plasma, from hematopoietic cells (abstract), 482

Dual-site sandwich immunoassay in quantitating MB isoenzyme of creatine kinase, 506–510

Ductal carcinoma in situ cells with apocrine snout, cancerization of small ectatic ducts of breast by, 561–566

Duodenal biopsies, histologic features of, that correlate with presence of celiac sprue-related serum antibodies (abstract), 473

## E

E-cadherin in urologic malignancies, 56–63

Effusion cytology, after extrapleural pneumonectomy for treatment of malignant mesothelioma, 206–210

*Ehrlichia equi* indirect fluorescent antibody test in confirmation of human granulocytic ehrlichiosis, 142–147

Electrolyte values in evaluation of acute febrile illness in pediatric emergency room patients, 114–121

Electronic blood banking in improving transfusion safety, S12–S16

Electron microscopy in investigating genital angiomyofibroblastoma, 36–44

*Enterobacter cancerogenus* infections, association with trauma or crush injuries, 359–361

Enzyme immunoassay, detection of antibodies to *Coccidioides immitis* by, 148–153

Enzyme-linked immunosorbent assay in detection of p53 protein in lung cancer specimens, 308–316

Eosinophilia, effect of, on age at onset and prognosis of adult T-cell leukemia, 81–87

Ependymomas, MIB-1 proliferation indices in pediatric (abstract), 469

Erythropoietin, beliefs of Jehovah's Witnesses on, S23–S27

Extrapleural pneumonectomy in treating malignant mesothelioma, 206–210

## F

Factor V<sub>Leiden</sub>, sensitivity and specificity of APC resistance assay in detection of individuals with, 521–526, 713–714 (corr)

Factor Xa inhibition assay for heparin, 511–520

Febrile illness, laboratory tests in evaluation of acute, in pediatric emergency room patients, 114–121

Fibrinogen, degree of agreement in plasma among functional and immunonephelometric assays, 527–533

Fibroadenomas, telomerase expression in, 542–547

Fibrous nubbins, pathologic features in, of neonates with vanishing testis syndrome (abstract), 479

Fine-needle aspiration biopsy

and cytologic findings in thyroid nodules after <sup>131</sup>I treatment of hyperthyroidism, 20–25

of peripheral lymph nodes in patients with tuberculosis and human immunodeficiency virus, 317–320

Flow cytology

in assessing association of myelodysplasia, basophilia, and initial CD34 with myeloid leukemia, 430–437

in immunophenotyping of leukemias, 68–73

Flow cytometry

in analysis of CD19 as marker of monocytic lineage in acute myelogenous leukemia, 83–291

analysis of vulval angiomyofibroblastoma, 45–51

in examining CD16 antigen density on neutrophils in chronic myeloproliferative disorders, 661–664

measurement of, in vitro P-selectin expression by, 99–104

Follicular lymphoma, aberrant antigen expression on, in lymph nodes (abstract), 484–485

Formalin-fixation method in assessing efficiency of leukoreduction of cellular blood components, 111–113

Functional assay, clinical application of, in detecting V<sub>Leiden</sub> mutation associated with activated protein C resistance, 521–526, 713–714 (corr)

Fungal culture intubation, duration of, in area endemic for *Histoplasma capsulatum* (abstract), 489

## G

- Gas chromatography-mass spectrometry in analysis of benzodiazepines in urine, 345-352
- Gastrointestinal cancers, comparison of Ca195, Ca125, Ca19-9, Ca72-4, Cyfra 21-2, and CEA for serodiagnosis of (abstract), 473
- Gastrointestinal stromal tumors  
 image cytometric quantitation of proliferation (MIB-1) in (abstract), 474  
 immunohistochemical detection of estrogen, progesterone, and androgen receptors in (abstract), 474
- Genital angiofibroma, 36-44
- Genotypes, frequency of deletional  $\alpha$ -thalassemia, in predominantly Asian-American population, 576-581
- Geriatric patients, central nervous system pathologic findings in (abstract), 469
- Gestational trophoblastic disease, DNA analysis by image analysis of tissue sections in (abstract), 480
- Glioblastoma, telomerase expression in, 548-554
- Gliomas, telomerase expression in, 548-554
- Gown's law, 139-140
- Graduated responsibility, results of surveys pertaining to, for residents in anatomic pathology, 630-631, 632-636
- Graft-versus-Host disease,  $\gamma$ -irradiation in preventing, 557-563
- Granulocyte transfusions, ABO blood group incompatibility following (abstract), 487
- Granulomatous inflammation, identification of, in fine-needle aspiration of peripheral lymph nodes, 317-320
- Granulomatous prostatitis, following BCG therapy (abstract), 477
- Gynecologic cytology, cost of production in, 445-450

## H

- Hairy cell leukemia  
 CD45 and right-angle light scatter gating in three-color analysis, 484  
 characteristics and pathologic features of, 665-671  
 differentiation from myelodysplastic syndrome (abstract), 484
- Hapten dinitrophenyl, effect of ultraviolet B light on antibody production to (abstract), 489
- Hb electrophoresis, proficiency testing of, 567-575

- Head and neck squamous cell carcinoma, p53 gene alterations in, 7-11
- Health Care Financing Administration (HCFA), 630-631
- Heart disease, cardiac profile and proposed practice guidelines for acute ischemic, 398-409
- Heart transplant recipients  
 autopsy findings in (abstract), 472  
 premalignant and malignant epithelial cutaneous lesions developing in (abstract), 472
- Heat-induced epitope retrieval (HIER), 139-140
- Helicobacter pylori*, comparison of histochemical stains for diagnosis of (abstract), 473
- Hemangioblastomas, molecular genetic analysis of von Hippel-Lindau disease tumor suppressor gene in familial and sporadic cerebellar, 459-466
- Hematologic malignancies, use of competitive reverse transcriptase-polymerase chain reaction assay to quantify human multidrug resistance 1 (MDR1) gene expression in (abstract), 485
- Hematopoietic cells, origination of plasma DNA from (abstract), 482
- Hematopoietic stem cell transplantation, significance of light chain-restricted bone marrow plasma cells after, for multiple myeloma, 643-652
- Hemodilution, beliefs of Jehovah's Witnesses on, S23-S27
- Hemoglobin A<sub>2</sub> levels in diagnosing  $\beta$ -thalassemia or sickle cell disease, 88-91
- Hemoglobin (Hb) S  
 cell levels of, in sickle cell disease, 88-91  
 proficiency testing of screening, 567-575
- Hemoglobinopathy techniques, proficiency testing of, 567-575
- Heparin, evaluation of new protamine titration method in assaying, in whole blood and plasma, 511-520
- Heparin-associated platelet antibodies (HAPA), utility of repeat testing for presence of, with initially indeterminate studies by platelet aggregometry (abstract), 485-486
- Hepatic adenoma, image cytometric proliferation (MIB-1) in, versus low-grade hepatocellular carcinoma (abstract), 475
- Hepatic allografts, histologic evaluation of accelerated atherosclerosis in failed (abstract), 476
- Hepatic disease, hepatocytic globules in end-stage, 692-697
- Hepatic parenchyma, incidence of cytomegalovirus in (abstract), 475-476
- Hepatitis C, comparison of quantitative HCV RNA assays in chronic, 362-367
- Hepatocellular carcinoma  
 development of, in cirrhotic and noncirrhotic livers (corr), 251  
 image cytometric proliferation (MIB-1) in hepatic adenoma versus low-grade (abstract), 475

- Hepatocytic globules in end-stage hepatic disease, 692–697
- Heterozygosity, loss of, of allelic markers on chromosome 3p, 459–466
- High-performance liquid chromatographic analysis of Lamotrigine (Lamictal) in serum using a simple liquid-liquid extraction (abstract), 470
- Histochemical stains, comparison of, in diagnosis of *Helicobacter pylori* (abstract), 473
- Histoplasma capsulatum*, duration of fungal culture incubation in area endemic for (abstract), 489
- Hodgkin's disease, 177–186  
recurrent, after bone marrow transplantation, 74–80
- Hoechst 33342 in inducing BC3H-1 myocytes (abstract), 489
- Home transfusion therapy, practical aspects of, S64–S71
- Human granulocytic ehrlichiosis, confirmation of, 142–147
- Human immunodeficiency virus (HIV)  
clinico-pathologic study of adult respiratory distress syndrome in patients infected with (abstract), 471  
fine-needle aspiration of peripheral lymph nodes in patients with, 317–320  
spectrum of mucosa-associated lymphoid tissue lesions in pediatric patients infected with, 592–600  
testicular atrophy in patients infected with (abstract), 478
- $\beta$ -Hydroxybutyrate, laboratory and clinical evaluation of assays for, 353–358
- Hyperthyroidism, cytologic findings in thyroid nodules after  $^{131}\text{I}$  treatment of, 20–25
- Hypoplastic myelodysplastic syndromes, distinguishing from acquired aplastic anemia by CD34 and PCNA immunostaining of bone marrow biopsy specimens, 268–274
- Hypoprotrombinemia, association of, with lupus anticoagulants, 197–205
- Hysterectomy, autologous donation and incidence of transfusion in elective (abstract), 487–488
- I**
- Image analysis in breast carcinomas, 534–541
- Image cytometric DNA ploidy of intratubular germ cell neoplasia and adjacent testicular germ cell tumor (abstract), 478
- Image cytometric proliferation (MIB-1)  
in hepatic adenoma versus low-grade hepatocellular carcinoma (abstract), 475  
in intratubular germ cell neoplasia and adjacent testicular germ cell tumor (abstract), 478–479
- Immortalization of cells, telomerase in, 555–560
- Immunoassays  
comparison of, for benzodiazepines in urine, 345–352  
degree of agreement in plasma fibrinogen, 527–533  
in quantitating MB isoenzyme of creatine kinase, 506–510
- Immunocytochemistry  
assays in breast carcinomas, 534–541  
effect of cytopreparatory methods of serous fluids (abstract), 482–483  
in immunophenotyping of leukemias, 68–73
- Immunodiffusion in detection of antibodies to *Coccidioides immitis*, 148–153
- Immunofluorometry, comparison of, with immunohistochemistry for detection of p53 protein in lung cancer specimens, 308–316
- Immunohistochemistry  
in analysis of mammary myofibroblastoma with leiomyomatous differentiation, 52–55  
in analysis of posttransplantation lymphoproliferative disorders, 419–429  
in analysis of renal cell carcinomas, 229–235  
in analysis of vulval angiomyofibroblastoma, 45–51  
antibodies for classification of acute leukemia in bone marrow trephine biopsy specimens, 410–418  
assessment of significance of light chain-restricted bone marrow plasma cells after peripheral blood stem cell transplantation for multiple myeloma, 643–652  
biology methods in screening for p53 alterations in head and neck cancer, 7–11  
CD34 and PCNA in distinguishing between hypoplastic myelodysplastic syndromes and aplastic anemia in bone marrow biopsy specimens, 268–274  
comparison of, with immunofluorometry for detection of p53 protein in lung cancer specimens, 308–316  
heat-induced epitope retrieval in, 139–140  
identification, of tumor markers in metastatic adenocarcinoma, 12–19  
and liver pathology in lung transplant recipients and incidence of cytomegalovirus in hepatic parenchyma (abstract), 475–476  
p21 (Waf1/Cip1) and p53 protein expression in breast cancer, 684–691
- Immunohistology in investigating genital angiomyofibroblastoma, 36–44
- Immunophenotype, association of, with cerebrospinal fluid involvement in childhood B-lineage acute lymphoblastic leukemia, 608–616
- Immunophenotyping  
in assessing association of myelodysplasia, basophilia, and initial CD34 with myeloid leukemia, 430–437  
in diagnosis and classification of acute leukemia, 283–291  
in identifying characteristics of bone marrow in megaloblastic anemia (abstract), 483  
of leukemias, 68–73



**Inaugural Address, 128–130**

Inductively coupled plasma emission spectroscopy, determination of silicon in breast and capsular tissue from patients with breast implants, 236–246

Infections, wound, in trauma or crush injuries, 359–361

**Inflammation**

diverticular disease-related, 438–444

neutrophil left shift parameters in diagnosis of, 582–591

Informatics technology, Pittsburgh Reference Library Alliance (RLA) as model in, 387–394

Informative training in pathology residency programs, 122–127

Informed consent, practical issues in, for blood transfusion, 572–574

**In Memoriam**

Black, Maurice M., 374

Hill, Rolla B., Jr., 247–248

Saeed, Sheikh M., 248

In situ DNA fragmentation assay for detection of apoptosis in paraffin-embedded tissue sections, 332–336

Interchangeability of fibrinogen assays, 527–533

Interclass correlation in assessing interchangeability of fibrinogen assays, 527–533

International normalized ratio (INR), prothrombin-proconvertin-based, 672–680

Intracranial tumors, differential telomerase expression in human primary, 548–554

Intraductal carcinoma in breast, 561–566

Intraepithelial lymphocytes, specificity of (abstract), 473

Intratubular germ cell neoplasia

image cytometric DNA ploidy of (abstract), 478

image cytometric proliferation in (abstract), 478–479

In vitro P-selectin expression, measurement of, by flow cytometry, 99–104

Iodine 131, cytologic findings in thyroid nodules after treatment of hyperthyroidism, 20–25

Iron deficiency, red cell heterogeneity in distinguishing from thalassemia traits, 601–607

Irradiated blood components (corr), 251–254

$\gamma$ -Irradiation in preventing graft-versus-host disease, 557–563

Isolator blood culture system (corr), 376–378

i-STAT portable clinical analyzer in neonatal intensive care unit (abstract), 490

**J**

Jehovah's Witnesses patients, practical issues when confronting, 523–527

**K**

Karyotypes as basis for distinct chronic lymphocytic subgroups, 275–282

Keratin 7 and 20, expression of, by mucinous adenocarcinomas (abstract), 481

Ki-67 antigen, identification of, in immunohistochemistry analysis of renal cell carcinomas, 229–235

K-ras mutations in peripheral blood DNA of patients with cancer of colon or pancreas (abstract), 474

**L**

Laboratory assessment of myocardial damage, 383–384

Laboratory medicine, Pittsburgh Reference Laboratory Alliance as model for, 387–394

Laboratory samples, preanalytical contamination in, 395–397

Laboratory tests in evaluation of acute febrile illness in pediatric emergency room patients, 114–121

Lactate dehydrogenase, isoenzymes in diagnostic evaluation of acute myocardial infarction (abstract), 472

Lamotrigine (Lamictal), high-performance liquid chromatographic analysis of, in serum using simple liquid-liquid extraction (abstract), 470

Laser therapy, atherosclerosis after angioplasty and (abstract), 481

Left shift and acute-phase response, value of neutrophil CD16 expression for detection of, 187–196

Leiomyomas, immunohistochemical detection of estrogen, progesterone, and androgen receptors in (abstract), 474

Leiomyomatous differentiation, mammary myofibrosarcoma with, 52–55

**Leukemia**

acute lymphoblastic, cerebrospinal fluid involvement in childhood B-lineage, 608–616

acute monocytic, cutaneous involvement in, 637–642

acute myelogenous

aberrant expression of CD19 as marker of monocytic lineage in, 283–291

cutaneous involvement in, 637–642

expression of neural cell adhesion molecule (CD56) in, 653–660

requiring morphologic assessment of blast percentage (abstract), 484

acute myeloid

antibodies for classification of, in bone marrow trephine biopsy specimens, 410–418

association with myelodysplasia, basophilia, and initial CD34 negative immunophenotype, 430–437

- adult T-cell, effect of *Strongyloides stercoralis* infection and eosinophilia on age at onset and prognosis of, 81–87
- B-cell chronic lymphocytic, aberrant antigen expression on, in lymph nodes (abstract), 484–485
- B-lineage, detection of lymphocyte clonality using polymerase chain reaction primer panel (abstract), 483–484
- chronic myelogenous, T-cell blast crisis in, 168–176
- hairy cell  
 CD45 and right-angle light scatter gating in three-color analysis, 484  
 characteristics and pathologic features of, 665–671  
 differentiation from myelodysplastic syndrome (abstract), 484
- Leukemia cutis, 627–629, 637–642
- Leukemia vasculitis, cutaneous involvement in, 627–629, 637–642
- Leukocyte alkaline phosphatase activity in neutrophils of patients with chronic myeloid leukemia (CML), 661–664
- Leukocyte  
 counts of, and smoking and alcohol consumption, 64–67  
 reduction of, in preventing cytomegalovirus, 557–563
- Leukoreduction, assessing efficiency of, of cellular blood components, 111–113
- Light chain-restricted bone marrow plasma cells, after peripheral blood stem cell transplantation, 643–652
- Liver pathology in lung transplant recipients and incidence of cytomegalovirus in hepatic parenchyma by immunohistochemical staining (abstract), 475–476
- Logistic regression analysis in identifying cytologic criteria important in differentiating AGUS lesions, 299–307
- Lung carcinoma  
 comparison of immunofluorometry and immunohistochemistry for detection of p53 protein in specimens of, 308–316  
 MIB1 immunostaining and prognosis in T1N0M0 non-small-cell (abstract), 467
- Lupus anticoagulants  
 association of, with hypoprothrombinemia, 197–205  
 hypoprothrombinemia syndrome, 197–205
- Lyme disease, positive serology in patients with human granulocytic ehrlichiosis, 142–147
- Lymph nodes  
 aberrant antigen expression on B-cell chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL) and follicular lymphoma (FL) in (abstract), 484–485  
 histopathologic findings in sentinel, from patients with malignant melanoma (abstract), 481  
 minimum number of, recovered from colorectal resection specimens (corr), 494–495  
 telomerase expression in human breast cancer with, and without metastases, 542–547
- Lymphocytes  
 detection of clonality, using polymerase chain reaction consensus primer panel in B-lineage leukemias and non-Hodgkin's lymphomas (abstract), 483–484  
 percent, in peripheral blood (abstract), 482
- Lymphocytic morphology, isolated 13q14 abnormalities and normal karyotypes in, 275–282
- Lymphoma  
 aberrant antigen expression on follicular, in lymph nodes (abstract), 484–485  
 marginal zone B-cell, in pediatric patients, 92–98  
 mucosa-associated lymphoid tissue, 592–600  
 non-Hodgkin's, 177–186  
 detection of lymphocyte clonality using polymerase chain reaction primer panel (abstract), 483–484

## M

- Malignant hematopoietic breast tumors, 177–186
- Malignant melanoma, histopathologic findings in sentinel lymph nodes from patients with (abstract), 481
- Mammary myofibroblastoma, with leiomyomatous differentiation, 52–55
- Mannose 6-phosphate glycoproteins in prostate carcinoma (abstract), 468–469
- Marginal zone B-cell lymphoma in pediatric patients, 92–98
- MB isoenzyme of creatine kinase (CK-MB), 506–510  
 heterophilic antibodies in producing spuriously elevated concentration of, 506–510
- MCV index, value of, in diagnosis of thalassemic and nonthalassemic microcytosis (corr), 619
- Mechanical barriers in improving blood transfusion safety, S13
- Medical informatics training in pathology residency programs, 122–127
- Megakaryocyte nuclei, frequency and significance of naked, in myeloproliferative disorders (abstract), 485
- Megakaryocytic emperipolesis, frequency and significance in myeloproliferative disorders (abstract), 483
- Megaloblastic anemia, immunophenotypic characteristics of bone marrow in (abstract), 483
- Meningiomas, telomerase expression in, 548–554
- Meridian Premier *Coccidioides* enzyme immunoassay (MPC-EIA) in detecting *Coccidioides immitis*, 148–153
- Mesothelioma, effusion cytology after extrapleural pneumonectomy for treatment of malignant, 206–210
- Metastases, immunohistochemical identification of tumor

- markers in, 12–19
- Methicillin-resistant staphylococci, identification of, by multiplex polymerase chain reaction assay, 368–373
- MIB1 antigen immunostain in assessing proliferative activity in astrocytic tumors, 321–331
- MIB-1 as alternative to classic prognostic indicators in renal cell carcinomas, 229–235
- MIB1 immunostaining and prognosis in T1N0M0 non-small-cell lung carcinoma (abstract), 467
- Microcytosis  
erythrocyte cell hemoglobin distribution width in segregating thalassemia traits from other nonthalassemic conditions with, 601–607  
value of MCV index in diagnosis of thalassemic and nonthalassemic (corr), 619
- Microglandular carcinoma of pancreas (corr), 711–713
- Microvessel density and breast carcinomas, 534–541
- Molecular biology method in screening for p53 alterations in head and neck cancer, 7–11
- Molecular genetic analysis of von Hippel-Lindau disease tumor suppressor gene in familial and sporadic cerebellar hemangioblastomas, 459–466
- Monoclonal antibodies (moABs) in establishing lineage of acute leukemia, 283–291
- Monocytic lineage, aberrant expression of CD19 as marker of, in acute myelogenous leukemia, 283–291
- Monocytoid B-cell lymphocytes in pediatric patients, 92–98
- Mucinous adenocarcinomas, expression of keratin 7 and 20 (abstract), 481
- Mucosa, histology of, in sigmoid colon specimens with, 438–444
- Mucosa-associated lymphoid tissue (MALT)  
lymphomas in pediatric patients, 92–98  
spectrum of lesions, in pediatric patients infected with HIV, 592–600
- Multiforme tumors, telomerase expression in, 548–554
- Multiple myeloma  
with hairy cell-like features in, 665–671  
significance of light chain-restricted bone marrow plasma cell after peripheral blood stem cell transplantation for, 643–652
- Multiplex polymerase chain reaction assay, identification of methicillin-resistant staphylococci by, 368–373
- Mutation detection rate of comprehensive Southern blot method, 576–581
- MycoAKT latex agglutination test, evaluation of, for diagnosis of *Mycobacterium avium* complex infections (abstract), 488–489
- Mycobacterium avium* complex infections, evaluation of MycoAKT latex agglutination test for diagnosis of (abstract), 488
- Mycobacterium tuberculosis*, evaluation of Roche AMPLICORMTB assay for detection of, in prison inmates (abstract), 488
- Myelodysplasia, association with acute myeloid leukemia, 430–437
- Myelodysplastic syndromes (MDS)  
correlation with unexplained cytopenias, 261–264  
expression of neural cell adhesion molecule (CD56) in, 653–660  
requiring morphologic assessment of blast percentage (abstract), 484
- Myeloid antigens in acute leukemias, 68–73
- Myeloperoxidase dose in immunohistochemical classification of, in acute leukemias, 410–418
- Myeloperoxidase  
in acute myeloid leukemias, 68–73  
cytochemical detection of, 68–73
- Myeloproliferative disorders  
frequency and significance of naked megakaryocyte nuclei (abstract), 485  
megakaryocytic emperipolesis frequency and significance in (abstract), 483
- Myeloproliferative syndrome, expression of neural cell adhesion molecule (CD56) in, 653–660
- Myocardial damage, laboratory assessment of, 383–384
- Myofibroblastoma, mammary, with leiomyomatous differentiation, 52–55
- Myofibroblasts, emerging role of, in soft tissue neoplasia, 2–5
- Myoglobin in diagnosis of acute myocardial infarction (abstract), 473
- N
- Nasal vestibule, squamous carcinoma of, 704–708
- Native prothrombin antigen and correlation with prothrombin-proconvertin time international normalized ratio, 672–680
- Neck cancer. *See* Head and neck squamous cell carcinoma
- Neck squamous cell carcinoma, p53 gene alterations in, 7–11
- Needle biopsies, p53 as an independent prognostic indicator of prostatic adenocarcinoma in (abstract), 477–478
- Neonatal intensive care unit, impact of i-STAT portable clinical analyzer in (abstract), 490
- Neonatal transfusion practice, practical issues in, S57–S63
- Neoplasia, soft tissue, emerging role of myofibroblasts in, 2–5
- Nephelometric assays, interchangeability of, with other fibrinogen assays, 527–533
- Nephelometry, degree of agreement in plasma fibrinogen among assays, 527–533
- Neutrophil CD16 expression, value of, for detection of left

- shift and acute-phase response, 187–196
- Neutrophil left shift, diagnostic value of, in predicting inflammatory and infective disease, 582–591
- Neutrophils
- CD16 antigen density on, in chronic myeloproliferative disorders, 661–664
  - screening sputum specimens for (corr), 378
- News and Notices, 134–135, 255–256, 380, 496–497, 622–623, 716
- Nongynecologic specimens, objective quantitation of screening process in thin-preps and conventional smears of (abstract), 480
- Non-Hodgkin's lymphomas, 177–186
- detection of lymphocyte clonality using polymerase chain reaction primer panel (abstract), 483–484

## O

- Oncogene *bcr-abl* as evidence of chronic myelogenous leukemia, 168–176
- Oral anticoagulation therapy, performance of prothrombin-proconvertin time as monitoring test of, 672–680
- Organ transplantation
- risks and other adverse effects associated with, S2–S11
  - small vessel vasculopathy of central nervous system associated with (abstract), 469–470
- Out-of-hospital transfusion, practical aspects of, S64–S71
- Ovarian carcinoma, prognostic value of proliferative activity of, as revealed by PCNA and AgNOR analyses, 451–458

## P

- p21 (Waf1/Cip1) in breast cancer, 684–691
- p53 protein
- in analysis of posttransplantation lymphoproliferative disorders, 419–429
  - comparison of immunofluorometry and immunohistochemistry for detection of, in lung cancer specimens, 308–316
  - expression of, in breast cancer, 684–691
  - expression of, in flat intraepithelial lesions in patients with concurrent transitional cell carcinoma of urinary bladder (abstract), 467
  - as independent prognostic indicator of prostatic adenocarcinoma (abstract), 478
- p53 tumor suppressor genes, alterations in head and neck cancer, 7–11
- Pancreas, microglandular carcinoma of (corr), 711–713
- Pancreatic cancer, K-ras mutations in peripheral blood DNA

- of patients with (abstract), 474
- Pancreatic islet cell tumors, cytokeratin and villin immunoprofile of (abstract), 474–475
- Papanicolaou smear, sensitivity for adenocarcinoma in situ of cervix, 30–35
- Papanicolaou stain, costs of production for, 445–450
- Paraffin sections, visualization of urate crystals in (abstract), 481–482
- Parathyroid nodules, clonality of, with hyperparathyroidism (abstract), 471
- Pathology
- assessment of radical prostatectomy specimens in, 698–703
  - success of Pittsburgh Reference Laboratory Alliance as model for regional cooperation in, 387–394
- Pathology residency programs, medical informatics training in, 122–127
- Patient identification systems in improving blood transfusion safety, S12–S16
- Patient prognosis, combined determination of proliferative activity and cell density in, for astrocytic tumors, 321–331
- Patient survival, immunocytochemical expression of CD31 as significant prognostic indicator of, 534–541
- Pearson correlation in assessing interchangeability of fibrinogen assays, 527–533
- PECAM immunocytochemical assays in breast carcinomas, 534–541
- Pediatric patients
- laboratory tests in evaluation of acute febrile illness in emergency room, 114–121
  - marginal zone B-cell lymphoma with monocytoid B-cell lymphocytes in, 92–98
  - spectrum of mucosa-associated lymphoid tissue lesions in HIV, 592–600
- Perfluorocarbons, S23–S27
- Peripheral blood, percent lymphocytes in (abstract), 482
- Peripheral blood lymphocyte morphology and karyotype in B-cell chronic lymphocytic leukemia, 275–282
- Peripheral blood stem cell transplantation, significance of light chain-restricted bone marrow plasma cells after, for multiple myeloma, 643–652
- Peripheral lymph nodes, fine-needle aspiration of, in patients with tuberculosis and HIV, 317–320
- Peripheral nerve amyloidosis in sural nerve biopsies (abstract), 470
- Pittsburgh Reference Library Alliance (RLA) as model in informatics technology, 387–394
- Plasma, evaluation of new protamine titration method in assaying heparin in, 511–520
- Plasma cells, significance of light chain-restricted bone

- marrow, after peripheral blood stem cell transplantation for multiple myeloma, 643–652
- Plasmacytosis, significance of, in post-transplantation bone marrow biopsy specimens from multiple myeloma patients, 643–652
- Plasma DNA, origination of, from hematopoietic cells (abstract), 482
- Platelet activation, flow cytology in measuring, 99–104
- Platelet aggregometry, utility of repeat testing for presence of heparin-associated platelet antibodies (abstract), 485–486
- Pneumonectomy, effusion cytology after extrapleural, for treatment of malignant mesothelioma, 206–210
- Point of care testing for heparin, 511–520
- Polymerase chain reaction (PCR)
- comparison of B-cell clonality in paraffin-embedded tissues of high-grade and low-grade lymphomas using (abstract), 467–468
  - consensus primer panel in B-lineage leukemias and non-Hodgkin's lymphomas (abstract), 483–484
  - for human granulocytic ehrlichiosis, 142–147
  - rapid, without thermocycler (abstract), 489
  - in variable number of tandem repeats in detection of chimerism following bone marrow transplantation, 292–298
- Posthumous analysis, value of (corr), S82
- Posttransplantation lymphoproliferative disorders in bone marrow transplant recipients, 419–429
- Practice guidelines
- for acute ischemic heart disease, 398–409
  - for coagulation tests, 681–683
- Preanalytical contamination and misdiagnosis, disposables as sources of, 395–397
- Preanalytic variables, effect of, on coagulation testing, 105–110
- Pretransfusion testing, without crossmatch (abstract), 486
- Primitive neuroectodermal tumors, telomerase expression in, 548–554
- Process control in improving laboratory performance and transfusion safety, S43–S49
- Proficiency testing of hemoglobinopathy techniques, 567–575
- Prognostic value of proliferative activity of ovarian carcinoma as revealed by PCNA and AgNOR analyses, 451–458
- Proliferative activity, combined determination of, and cell density in prognosis of adult patients with supratentorial high-grade astrocytic tumors, 321–331
- Proliferative cell nuclear antigen (PCNA)
- as alternative to classic prognostic indicators in renal cell carcinomas, 229–235
  - in distinguishing between hypoplastic myelodysplastic syndromes and aplastic anemia in bone marrow biopsy specimens, 268–274
  - in posttransplantation lymphoproliferative disorders, 419–429
  - prognostic value of proliferative activity of ovarian carcinoma as revealed by, 451–458
- Prostate carcinoma
- adequate tissue sampling in core needle biopsies, 26–29
  - anticytokeratin antibody 34 $\beta$ E12 staining in, 219–223
  - mannose 6-phosphate glycoproteins in (abstract), 468–469
  - patient age as factor in, 265–267, 337–344
- Prostatectomy, estimation of tumor volume in radical specimens in routine clinical practice, 698–703
- Prostate-specific antigen, patient age as factor in, 265–267, 337–344
- Prostatic adenocarcinoma, p53 as independent prognostic indicator of, in needle biopsies (abstract), 478
- Prostatic core biopsies, histologic features of transitional cell carcinoma in (abstract), 477
- Prostatic neoplasms
- cellular adhesion molecules in, 56–63
  - estimation of volume of, in radical prostatectomy, 698–703
- Protamine titration, evaluation of, in assaying heparin in whole blood and plasma, 511–520
- Prothrombin-proconvertin time, performance of, as monitoring test of oral anticoagulation therapy, 672–680
- Prothrombin time (PT)
- effect of sodium citrate on, 105–110
  - effect of sodium citrate on (abstract), 486
  - performance of, on first tube of venous blood, 681–683
- Prothrombin time (PT) (corr), 133
- P-selectin, measurement of in vitro, by flow cytometry, 99–104
- Pulmonary artery, fatal ruptures of, by Swan-Ganz pulmonary artery catheters (abstract), 471–472
- Pulmonary granulomas, evaluation of cultures of percutaneous core needle biopsy specimens in diagnosis of, 224–228

## Q

- Quality control/quality assurance
- in determining efficiency and consistency of bedside leukoreduction, 111–113
  - practical approaches to improving laboratory performance and transfusion safety, S43–S49
  - for practical aspects of blood transfusions, S17–S22
  - practical use of computerized hospital information systems in improving blood transfusions, S50–S56

- for preoperative autologous transfusion, S28–S35  
tools for improving, in transfusion service, S36–S42  
Quantitative HCV RNA assays, comparison of, in detecting hepatitis C virus, 362–367

## R

- Radioreceptor assay for benzodiazepines in urine, 345–352  
Rapid, hot-air thermocycling, application of, in clinical laboratory (abstract), 490  
Rapid diagnostic tests, clinical relevance and cost-effectiveness of, 154–167  
Recurrent Hodgkin's disease, after bone marrow transplantation, 74–80  
Red blood cell transfusions, practical issues in neonatal practices, S57–S63  
Red cell antibodies, identification of (abstract), 486–487  
Red cell heterogeneity in distinguishing thalassemia traits from iron deficiency, 601–607  
Renal cell carcinomas  
cellular adhesion molecules in, 56–63  
proliferating cell nuclear antigen and MIB-1 as alternative to classic prognostic indicators in, 229–235  
Residents, results of surveys pertaining to graduated responsibility for, in anatomic pathology, 630–631, 632–636  
Restriction fragment length polymorphism, comparison of variable number of tandem repeats with detection of chimerism, 292–298  
Reverse transcriptase polymerase chain reaction (RT-PCR) method in detection of hepatitis C virus, 362–367  
Roche AMPLICORMTB Assay, evaluation of, for detection of *Mycobacterium tuberculosis* in sputum specimens from prison inmates (abstract), 488  
RT-PCR assays in detection of hepatitis C virus, 362–367

## S

- Salivary duct carcinoma, cytologic features of (abstract), 471  
Salivary glands, mucosa-associated lymphoproliferative lesions of, in children, 592–600  
Salvaged blood, beliefs of Jehovah's Witnesses on, S23–S27  
Sanofi Access CK-MB procedure and difference between analytical sensitivity and detection limit (corr), 619–620  
Screening process, objective quantification of, in thin-preps and conventional smears of nongynecologic specimens (abstract), 480  
Sensitivity and specificity of APC resistance assay in detection of individuals with Factor V<sub>Leiden</sub>, 521–526, 713–714 (corr)  
Serosus fluids, effect of cytopreparatory methods in immunocytochemistry (abstract), 482–483  
Serum, enzymatic determination of sucrose in (abstract), 490  
Serum studies in confirmation of human granulocytic ehrlichiosis, 142–147  
Sickle cell disease  
hemoglobin A<sub>2</sub> level in diagnosing, 88–91  
proficiency testing in, 567–575  
Silicon, determination of, in breast and capsular tissue from patients with breast implants performed by inductively coupled plasma emission spectroscopy, 236–246  
Silver-stained nucleolar organizer regions, prognostic value of proliferative activity of ovarian carcinoma as revealed by, 451–458  
Simian immunodeficiency virus, morphologic changes in bone marrow and lymph node biopsies of Rhesus macaques experimentally infected with Simian immunodeficiency virus (abstract), 468  
Single-strand conformation polymorphism (SSCP) in molecular genetic analysis of von Hippel-Lindau disease tumor suppressor gene in hemangioblastomas, 459–466  
in screening for p53 alterations in head and neck cancer, 7–11  
Small lymphocytic lymphoma, aberrant antigen expression on, in lymph nodes (abstract), 484–485  
Small vessel vasculopathy of central nervous system associated with organ transplantation (abstract), 469–470  
Smoking and leukocyte counts, 64–67  
Sodium citrate  
effect of, on coagulation testing, 105–110  
effect of, on PT and aPTT (abstract), 486  
Soft-tissue tumors  
emerging role of myofibroblasts in, 2–5  
in genital region, 36–44  
Solitary fibrous tumors in breast, 52–55  
Southern blot method, mutation detection of, for  $\alpha$ -thalassemia genotypes, 576–581  
Specimen processing, disposables as sources of preanalytical errors, 395–397  
Sputum cultures, clinical relevance and cost-effectiveness of, 154–167  
Sputum specimens, screening for neutrophils (corr), 378  
Squamous cell carcinoma  
of nasal vestibule, 698–703  
p53 gene alterations in head and neck, 7–11  
Staphylococci, identification of methicillin-resistant, by multiplex polymerase chain reaction assay, 368–373  
Stool cultures, clinical relevance and cost-effectiveness of, 154–167  
*Strongyloides stercoralis* infection, effect of, on age at onset and prognosis of adult T-cell leukemia, 81–87  
Sucrose, enzymatic determination of, in serum and urine

- (abstract), 490  
 Sural nerve biopsies, peripheral nerve amyloidosis in (abstract), 470  
 Surgical pathology, resident autonomy in, 630–631, 632–636  
 Swan-Ganz pulmonary artery catheters, fatal pulmonary artery ruptures by (abstract), 471–472

## T

- T-cell blast crisis in chronic myelogenous leukemia, 168–176  
 T-cell receptor gene rearrangement as evidence of chronic myelogenous leukemia, 168–176  
 Telectology, preselected fields of view in (corr), 620–621  
 Telomerase, 505  
   differential, expression in human primary intracranial tumors, 548–554  
   in human breast cancer with and without lymph node metastases, 542–547  
   in human urothelial tumors, 555–560  
 Telomerase repeat amplification protocol, in comparing telomerase activity in breast cancers with and without lymph node metastases, 542–547  
 Telomere repeat amplification protocol (TRAP)  
   in detecting telomerase in human urothelial tumors, 555–560  
   in detecting telomerase in primary intracranial tumors, 548–554  
 Telomere repeat amplification protocol (TRAP) assay, 505  
 Testicular atrophy in HIV-infected patients (abstract), 478  
 Testicular germ cell tumor  
   image cytometric DNA ploidy of (abstract), 478  
   image cytometric proliferation in (abstract), 478–479  
 Thalassemia  
   and proficiency testing of hemoglobinopathy/techniques, 567–575  
   red cell heterogeneity in distinguishing from iron deficiency, 601–607  
 $\alpha$ -Thalassemia genotypes, frequency of deletional, in predominantly Asian-American population, 576–581  
 $\beta$ -Thalassemia, hemoglobin A<sub>2</sub> level in diagnosing, 88–91  
 Thermocycler, rapid polymerase chain reaction without (abstract), 489  
 13q14 abnormalities in B-cell chronic lymphocytic leukemia, 275–282  
 Thyroid lesions, comparison of intraoperative cytology with frozen sections in diagnosis of (abstract), 470–471  
 Thyroid nodules, cytologic findings in, after <sup>131</sup>I treatment of hyperthyroidism, 20–25  
 Tissue banking  
   practical issues in, S75–S81  
   practical solutions to practical problems in transfusion medicine and, S1  
 Tissue sampling, adequacy of, in prostatic carcinoma, 26–29  
 Tissue transplantation, risks and other adverse effects associated with, S2–S11  
 T lymphocytes as evidence of chronic myelogenous leukemia, 168–176  
 Transforming growth factor-alpha, immunohistochemical detection of, in adenocarcinoma of endocervix (abstract), 479–480  
 Transfusion medicine. *See also* Blood transfusions  
   practical solutions to practical problems, and tissue banking, S1  
 Transitional cell carcinoma  
   cellular adhesion molecules in, 56–63  
   evaluation of p53 accumulation and DNA ploidy as possible complementary prognostic indicators in (abstract), 476–477  
   histologic features of, in prostatic core biopsies (abstract), 477  
   mutant p53 protein expression in flat intraepithelial lesions of urinary bladder (abstract), 467  
 Transplantation. *See also* Bone marrow transplantation; Heart transplant recipients; Organ transplantation; Tissue transplantation  
   tissue, risks and other adverse effects associated with, S2–S11  
 Trimethylsphingosine in preventing in vitro platelet activation, 99–104  
 Trisomy 12 and mixed-cell morphology in chronic lymphocytic leukemia, 275–282  
 Trisomy 13, association of, with acute nonlymphocytic leukemias and myelodysplastic syndromes, 92–98  
 Troponin (cTnI) in cardiac profile, 398–409  
 Tube precipitin (TP) antibodies, detection of, to *Coccidioides immitis*, 148–153  
 Tuberculosis, fine-needle aspiration of peripheral lymph nodes in patients with, 317–320  
 Tuberculosis lymphadenitis, identification of, in acquired immunodeficiency syndrome patients, 317–320  
 Tubular carcinoma, cancerization of small ectatic ducts in, 561–566  
 Tumor markers, immunohistochemical identification of, in metastatic adenocarcinoma, 12–19  
 Tumor morphologic and biologic characteristics of breast carcinoma, effects of chemotherapy on, 211–218  
 Tumor volume, estimation of, in radical prostatectomy specimens in routine clinical practice, 704–708

## U

- Ultraviolet B light, effect of, on antibody production to

January 1997 Through June 1997

Hapten dinitrophenyl in murine model (abstract), 489  
 Urate crystals, visualization of, in paraffin sections (abstract), 481-482  
 Urinary bladder  
   evaluation of p53 accumulation and DNA ploidy as possible complementary prognostic indicators in transitional cell carcinoma of (abstract), 476-477  
   mutant p53 protein expression in flat intraepithelial lesions in patients with concurrent transitional cell carcinoma of (abstract), 467  
 Urinary cytology, effects of bladder outlet obstruction on (abstract), 476  
 Urine  
   clinical relevance and cost-effectiveness of cultures in, 154-167  
   comparison of assay methods for benzodiazepines in, 345-352  
   enzymatic determination of sucrose in (abstract), 490  
 Urologic malignancies, cellular adhesion molecules in, 56-63  
 Urothelial tumors, telomerase in, 555-560


## V

Vanishing testis syndrome, pathologic features in fibrous nubbins of neonates with (abstract), 479  
 Variable number of tandem repeats (VNTR), use of

amplified, in detection of chimerism following bone marrow transplantation, 292-298  
 Vascularity, computer-assisted image of analysis of (corr), 132-133  
 Vasculitis, leukemic, cutaneous involvement in, 627-629  
 Venipuncture, prothrombin time and activated partial thromboplastin time in, 681-683  
 Viral latency, onset of adult T-cell leukemia after, 81-87  
 von Clauss fibrinogen assays, interchangeability of, with other fibrinogen assays, 527-533  
 von Hippel-Lindau disease tumor suppressor gene, molecular genetic analysis of, in familial and sporadic cerebellar hemangioblastomas, 459-466  
 Vulval angiofibroma, 45-51

## W

Waf1 in breast cancer, 684-691  
 Warfarin-induced elevation of activated partial thromboplastin time (abstract), 486  
 White blood cell (WBC) count  
   automated differential, as indicator for inflammatory and infective disease, 582-591  
   effects of smoking and alcohol consumption on, 64-67  
   methods of, 111-113  
 Wilms' tumors, cytogenetic analysis of (abstract), 476  
 Wound infections in trauma or crush injuries, 359-361



## It's Like Having the Experts in Anatomic Pathology Drop In on You!

Connect with ASCP Teleconferences to bring these information-loaded, fully-interactive programs directly to your institution.

**Multiparameter DNA Flow Cytometry in Surgical Pathology,** September 5, 1997

**Chronic Hepatitis Classification and Hepatitis C,** October 10, 1997

**Renal Cell Carcinoma,** Friday, October 17, 1997

**An Approach to Inflammatory Dermatoses,** October 24, 1997

**Epithelial Ovarian Neoplasms,** December 5, 1997

**Stereotactic Core Biopsy in the Diagnosis of Mammographically-Detected Breast Lesions,** December 19, 1997



# TELECONFERENCES

Read the program descriptions at <http://www.ascp.org>. To receive a Fall catalog of 47 audio teleconferences, contact ASCP Customer Services. Telephone: 800-621-4142 press 1, then x260 (in Illinois: 312-738-4890); Fax: 312-738-0102; Email: [info@ascp.org](mailto:info@ascp.org).