
Ordering the Sections of an APA Literature Review

- -- and when to start on a new page
- -- Title Page
- -- Abstract (new page)
- -- Introduction (new page repeat title no heading)

Instead of the methods, results, and discussions sections used in research reports include main points. Each main point will have a heading (bold, capitalized and centered) and can have subpoint headings (bold, capitalized, and left flush).

- -- References (new page)
- -- Tables (each on a new page)
- -- Figure Caption (new page)
- -- Figure (each on a new page, no running head or page#)



Abstract

1"+ margins (bottom too) all double-spaced

page header

Do not indent

DISORDERED EATING: A REVIEW

Abstract

Literature review abstracts and research article abstracts share the same basic format but differ in content. Abstracts of literature review articles should include the topic, the purpose of the article, and how the information sources were chosen. Describe the summaries or conclusions that were reached. Some times the last section includes a proposal for future research.

Abstracts should not exceed 150 – 250 words*

*exact limitations are based on standards of the journal to which you are submitting your manuscript

1st page of main text 1"+ margins (bottom too) page header page # DISORDERED EATING: A REVIEW title Assessing and treating eating all disordered patients: A literature review lines Women are at least ten times more likely than men to double suffer from eating disorders (Davison & Neale, 2001). Women spaced who have eating disorders commonly suffer from depression they also tend to be perfectionistic, and more self-critical than other women (Lehman & Rodin, 1989; Walsh & Devlin, 1998).

Main Point 1 1"+ margins (bottom too) all double-spaced

Sub-headings bold and flush

page header

page_#

DISORDERED EATING: A REVIEW

۲

Assessment

bold and centered

Disorders

Anorexia nervosa and bulimia are the two most common types of eating disorders. Victims of these disorders often have irrational fears of being or becoming overweight. Anorexia nervosa is......

Symptoms

Although anorexia and bulimia often begin for the same reasons the symptoms of the two disorders are very different. Bulimia

Measures

Main Point 2 1"+ margins (bottom too) all double-spaced

Sub-headings bold and flush

page header

/page#

DISORDERED EATING: A REVIEW

Therapists use this assessment after each week of treatment to track the progress the client has made.

Bold & centered

Treatment

Methods

Many researchers and therapists have developed treatment programs for people with eating disorders.

One of the most widely accepted methods was developed in ...

Effectiveness

Disordered eating is a very complex mental illness and therefore is very difficult to treat. Many different treatment methods are used and vary in success. It does seem clear, however,

Conclusion 1"+ margins (bottom too) all double-spaced

page header

/page#

DISORDERED FATING: A REVIEW

8


one. Therefore clinical psychologists cannot agree on which treatment is most affective.

Bold and centered

Conclusion

Disordered eating is a very dangerous illness afflicting many young women each year. Unfortunately it is a very complex disorder that is relatively easy to diagnose but much harder to successfully treat. Many psychologists have developed assessments and treatments...

Reference page 1" + margins (bottom too)



References follow normal APA standards